NOTICE TO WATER WELL CONTRACTOR  The original and first copy of this report are to be filed with the	L REPORT OREGON 1020 State Well No. 1	245,	1330	E-18
STATE ENGINEER, SALEM, OREGON 97310 EP2 2 1975 (Please type within 30 days from the dWATER RESOURCE (Do not write ab	or print) State Permit No			
	THE COLUMN TO TH		···	
Now Y	(10) LOCATION OF WELL:			
Name Mr. Haskell F. Sloan	County Harney Driller's well number 1			
Address 7015 S. Costilla St.	SE 1/4 NW 1/4 Section 18 T. 24S R. 33E W.M.			
Littleton, Colo. 80120	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	,			
New Well				
If abandonment, describe material and procedure in Item 12.	(11) WARRED LEVIEL. Commissed w			
	(11) WATER LEVEL: Completed well.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 32 ft.			
Rotary Driven Domestic Industrial Municipal	Static level X 6 ft. below land surface. Date 6-20-7.			
Cable	Artesian pressure lbs. per square inch. Date			
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well i	elow casi	ng	
CASING INSTALLED: Threaded Welded 299 ft. Gage 250	Depth drilled 299 ft. Depth of completed well 299 ft.			
"Diam. fromft. Gage	Formation: Describe color, texture, grain size		ire of m	eterials:
ft. Gage	and show thickness and nature of each stratu	m and aqu	ıifer per	netrated,
	with at least one entry for each change of forma	tion. Repor	rt each c	hange in
PERFORATIONS: Perforated?  Yes  No.	position of Static Water Level and indicate prin	cipai wate	т-оеатт	y siraia.
Type of perforator used Factory Perforated	MATERIAL	From	То	SWL
Size of perforations 3/16 in by 3 in.	Top soil	0	5	
8,400 perforations from 19 ft. to 299 ft.	Brown Clay	5	25	
	Blue Clay and sand	25	52	
perforations from	Blue shale and sand	52	58	
perforations from ft. to ft.	Green sand and silty clay	58	112	
(7) SCREENS: Well screen installed?   Yes  No		112	202	
Manufacturer's Name	Gray clay soft green clay	202	228	
Type Model No		228	248	
Diam. Slot size Set from ft. to ft.	Black fractured clay	248	252	
Diam. Slot size Set from ft. to ft.	Fine gravel Green sand and fine gravel	252	265	
Diam. Slot size	Green shale stone with	2/2		
(8) WELL TESTS: Drawdown is amount water level is		265	299	
lowered below static level	white pumice cinders	1 200	-2//	
Was a pump test made? ☐ Yes ☐ No If yes, by whom? J. Price		<del>                                     </del>		
Yield: 013 gal./min. with 6 ft. drawdown after 3 hrs.		+		
" "				
" " "		<del>                                     </del>		
Bailer test gal./min. with ft. drawdown after hrs.		<del>                                     </del>		
		+		
Artesian flow g.p.m.			<del>_</del> _	
perature of water 54 Depth artesian flow encountered ft.	Work started 6 - 3 1975 Complet	ted (	<u>~</u>	19 75
(9) CONSTRUCTION:	Date well drilling machine moved off of well	6-	7	1973
	Drilling Machine Operator's Certification	:		
Well seal—Material used	This well was constructed under my	direct	super	vision.
Well sealed from land surface toft.	Materials used and information reported	above a	re true	to my
Diameter of well bore to bottom of seal	best knowledge and belief.  [Signed] Seaman a Walt Date 6-26, 1975			
Diameter of well bore below seal24 in.	[Signed] (Drilling Machine Operator)	-Date 🕰		., 19.4>
Number of sacks of cement used in well seal36 sacks	Drilling Machine Operator's License No.	554	<i>,</i>	
Number of sacks of bentonite used in well seal sacks	Diffing Hamilton Operator D Troops and			
Brand name of bentonite	Water Well Contractor's Certification:			•
Number of pounds of bentonite per 100 gallons		liction an	d this :	report is
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief			
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.	Name S. Miller Simi	けん	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
Did any strata contain unusable water?   Yes  No	(Person, firm or corporation)	A (Ty	pe or pri	nt) (4 715
Type of water? depth of strata	Address # S! Buck AriAr	<u>KT.</u>	100	415
Method of sealing strata off	1 11 1 00 a day	* (H).	•	
Was well gravel packed? ∑Yes ☐ No Size of gravel: _Pea	[Signed] (Water Well Con	tractor)		
10 200	Contractor's License No. 6.0.7 Date	6-2	G	1975
Gravel placed from ft. to ft.	Commacion a micense no. wik			,