## WATER WELL REPORT

STATE OF OREGON



## RECEIVED

APR 16 1982

State Well No

255/316-3966

WATER RESOURCES DEPTState Permit No. SALEM, OREGON

(1) OWNER:	(10) LOCATION OF WELL:		
Name Dewey Long	County Harney Driller's well number		
Address	N.W. 4 N.W. 4 Section 34 T. 25s	R. 31 B. W.M.	
State Washington	Tax Lot # Lot Blk	Subdivision	
(2) TYPE OF WORK (check):	Address at well location: 16 mi. south on l mile west on gravel road, 3/8	Hwy. 205, 1 mi. sth.	
New Well ₹ Deepening □ Reconditioning □ Abandon □			
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed we		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	35 ft.	
Rotary Air Driven Domestic DIndustrial Municipal		nd surface. Date 4/14/81 square inch. Date	
Rotary Mud  Dug			
e 🗷 Bored 🗆 Thermal: Withdrawal 🗆 Reinjection 🗀	(12) WELL LOG: Diameter of well below concept below to the period of the	asing	
(5) CASING INSTALLED: Steel	Formation: Describe color, texture, grain size and structhickness and nature of each stratum and aquifer penet	cture of materials; and show	
14 "Diam from 0 ft to 125 ft Gauge .250	for each change of formation. Report each change in pe and indicate principal water-bearing strata.	osition of Static Water Level	
LINER INSTALLED: no	MATERIAL	From To SWL	
	soi1	0 3	
	sandstone, brown	3 30	
(6) PERFORATIONS: Perforated?   Yes X No	clay, blue	30 43 35	
Type of perforator used Size of perforations in. by in.	clay, green	43 53 35	
perforations from	clay, blue	53 65 35	
perforations from ft. to ft.	sand, black, fine	65 117 70	
perforations from	clay, blue hard	117 172 50	
	sandm coarse grey, & gravel		
(7) SCREENS: Well screen installed?   Yes Men No	water bearing	172 176 38	
Manufacturer's Name	<del></del>		
TypeModel No.			
Diam. Slot Size Set from ft. to ft.  Slot Size Set from ft. to ft.			
Drawdown is amount water level is lowered			
(8) WELL TESTS: below static level	-		
Was a pump test made? ☐ Yes 🏋 No If yes, by whom?			
.d: gal/min. with ft. drawdown after hrs.			
" " " " " " " " " " " " " " " " " " " "			
Air test gal/min. with drill stem at ft. hrs.			
Bailer test 40 gal./min. with 5 ft. drawdown after 1 hrs.			
Artesian flow g.p.m.			
nperature of water 53 Depth artesian flow encountered ft.	Work started 3/24 1981 Complete	d 4/13 1981	
(9) CONSTRUCTION: Special standards: Yes □ No 🏖	Date well drilling machine moved off of well 4/13	198 <b>1</b>	
Well seal—Material used	Drilling Machine Operator's Certification:		
Well sealed from land surface to	This well was constructed under my direct supervision. Materials used		
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and belief.  [Signed] Date 4/14 19 81		
Diameter of well bore below seal14. in.	(Drilling Machine Operator)  Drilling Machine Operator's License No. 1188		
Number of sacks of cement used in well seal			
How was cement grout placed?pumped	W. A. W. H. C. A. A. A. C. A.		
	This well was drilled under my jurisdiction	and this report is true to	
Was pump installed? NO Type HP Depth ft.	the best of my knowledge and belief.		
Was a drive shoe used? ≜ Yes □ No Plugs Size: locationft.	Name		
Did any strata contain unusable water?   Yes X No	Address Box 1043 Burns, Oregon 9	(Type or print)	
Type of Water? depth of strata	Mars 11 M		
Method of sealing strata off	[Signed] (Water Well Contractor)		
Was well gravel packed? ☐ Yes ☒ No Size of gravel:	Contractor's License No. 717 Date 4/14		