WATER WELL REPORT STATE OF OREGON

REGEIVED

State Well No.

25s/34E-6 bb

(3) IAN 20 1987 (1) OWNER: (10) LOCATION OF WELL: WATER RESOURCES DERTY Ralph Opie Name HARNEY Driller's well number SALEM, OREGON NW 14 NW 1/4 Section P. O. Box 815 Address T. 255 R. 34E Crane State Oregon City Tax Lot # Imile NE Address at well location: (2) TYPE OF WORK (check): New Well 🕅 Reconditioning ___ Deepening Abandon [(11) WATER LEVEL: Completed well. If abandonment, describe material and procedure in Item 12. Depth at which water was first found (3) TYPE OF WELL: (4) PROPOSED USE (check): Static level ft. below land surface. Date May 2 Rotary Air 🛚 Driven Domestic ☐ Industrial ☐ Municipal Artesian pressure lbs. per square inch. Date Dug Rotary Mud 🗆 Irrigation X Test Well ſΧ Cobla Borod Thormal. Withdrawal ☐ Reinjection (12) WELL LÖG: 220 ft. Depth of completed well 220 ft. CASING INSTALLED: Formation: Describe color, texture, grain size and structure of materials; and show Threaded Welded 菡 thickness and nature of each stratum and aquifer penetrated, with at least one entry 12 "Diam. from + 1 ft. to 55 ft. Gauge .250 for each change of formation. Report each change in position of Static Water Level 14 "Diam from 55 ft. to 95 ft. Gauge and indicate principal water-bearing strata. LINER INSTALLED: MATERIAL From SWI. "Diam. from ft. to ft. Gauge 7 Soil, brown, clay silt 0 Clay, Brown 7 25 (6) PERFORATIONS: Sandstone, brown 25 30 28 Type of perforator used Factory in. by 1/8 Clav. Brown 30 97 28 Size of perforations Clay, Blue 97 190 28 2,470 perforations from 20 ft. to 95 ft. Sand, Brown, Fine 190 195perforations fromft. toft. Clay stone 195 220 28 ft. to..... ft. (7) SCREENS: Well screen installed? ☐ Yes ☑ No Manufacturer's Name Type Model No. Diam. Slot Size Set from ft. to ft. Slot Size Set from ft. to ft. Drawdown is amount water level is lowered (8) WELL TESTS: below static level Was a pump test made? Yes \(\sigma\) No If yes, by whom? \(\setminus a\) 450 gal./min. with 90 ft. drawdown after 25 hrs. Air test gal./min. with drill stem at ft. hrs. Bailer test gal./min. with ft. drawdown after Artesian flow erature of water Depth artesian flow encountered ft. Work started April 25 19 85 Completed Iline (9) CONSTRUCTION: Special standards: Yes □ No □ Date well drilling machine moved off of well June 10 Well seal—Material used bentonite **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision. Materials used Diameter of well bore to bottom of seal 16 in and information reported above are true to my best knowledge and belief. [Signed] Ralph Osic Date July 19 85 Diameter of well bore below seal14 in. Drilling Machine Operator's License No. Bond How was cement grout placed? Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name (Person, firm or corporation) (Type or print) Was a drive shoe used? X Yes □ No Plugs Size: location ft. Did any strata contain unusable water? ☐ Yes 🂢 No Address Type of Water? depth of strata [Signed] (Water Well Contractor) Method of sealing strata off Was well gravel packed? ☐ Yes 💆 No Size of gravel: Gravel placed from ft. to ft.