of well completion.

Amended 9/25/2025

NOTICE TO WATER WELL CONTRACTOR ECEIVEU

The original and first copy of this report are to be filed with the

MAR 2 4 13VATER WELL

state well no. 2.2 State well no WIDL 156708

(1) OWNER: 1/1 / / / / / / / / / / / / / / / / /	/(11) LOCATION OF WELL:		
Name Mald L Jack - John & But	County Verney Driller's well number		
Address 10/7 W. Filmble	14 0 14 Section 3.3 T.225	5 R. 3/E	W.M.
(2) TYPE OF WORK (about).	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):	In Cofor Hoteling Led Jet		
New Well Deepening Reconditioning Abandon	43.62472326		
If abandonment, describe material and procedure in Item 12.	71735 TURNOUT RD, BURNS, OR 97720 -119.01645829		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing		
Cable Jetted Domestic Industrial Municipal	Depth drilled $3/6$ ft. Depth of completed well $3/6$ ft.		
Dug Bored I Irrigation Test Well Other	Formation: Describe color, texture, grain size and	d structure of m	aterials;
CASING INSTALLED: Threaded Welded	and show thickness and nature of each stratum and aquifer penetrated,		
O "Diam from O ft. to J ft. Gage 250	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.		
ft. toft. Gage		From To	SWL
	TOP COIL	0 3	
DEDUCA MYONG	10/ 3012		
PERFORATIONS: Perforated? Yes No.	CAND STRAF	1 20	
Type of perforator used			
Size of perforations in. by in.	RED BASALT D	10 130	
perforations from ft. to ft.			
perforations fromft. toft.	TUMIE SION - 1.	30133	
perforations from ft. to ft.	and the stand		
perforations fromft. toft.	PUMICY GET MIX 1	33 200	
perforations from ft. by ft.	DAFAI -	10.0	
(7) SCREENS: Well screen installed? Yes Dividence of the screen installed?	BASAL / 2	60 210	
Manufacturer's Name	DIMINE OF AV. CPAVEL-MINA	IN SCA	
Type Model No	PUNIT - C 2/4/ - C 11/11/2 1/11/2	10 781	
Diam. Slot size ft. to ft.	FRAIR -6 CAIRD 9	85 310	
Diam. Slot size Set from ft. to ft.		1/2	 -
(8) WATER LEVEL: Completed well.			
tic level 9 2 ft. below land surface Date //-5-)	3		
Artesian pressure lbs. per square inch Date			
	1. MA		
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			· • • • •
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	760		
eld: gal./min. with ft. drawdown after hrs.	Work started /2) - 20 19 2 Completed	11-3	19) 7
" " " " " " " " " " " " " " " " " " " "	Date well drilling machine moved off of well //	<u>-5</u>	19
" " " "	Drilling Machine Operator's Certification:		
Bailer test 3 / gal./min. with 2 ft. drawdown after 2 hrs.	This well was constructed under my direct supervision. Mate-		
Artesian flow g.p.m. Date	rials used and information reported above knowledge and belief.	are true to m	y best
Temperature of water Was a chemical analysis made? Yes No	[Signed]Date //_ /5_, 19)]		
	(Drilling Machine Operator)		
(10) CONSTRUCTION:	Drilling Machine Operator's License No.		
Well seal—Material used			
Depth of seal ft.	Water Well Contractor's Certification:		
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Were any loose strata cemented off? Yes No Depth	NAME TOKN W 17055 BEILG		
Was a drive shoe used? Yes No	(Person, firm or corporation)		
Did any strata contain unusable water? Yes No	Address (2, 120) (6) (6)		
Type of water? depth of strata	(- 1 - 1 - 1) . D. A #		
Method of sealing strata off	[Signed] John W. Land		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor)		
Gravel placed from ft. to ft.	Contractor's License No. 2) Date // 19.)		

L.W.Hebener

TELEPHONE 573-6451

MARC PALMER

REGISTERED LAND SURVEYOR 254 N. ALDER BURNS, OREGON 97720

November 1, 1972

RECEIVED

STATE ENGINEER SALEM. OREGON

Land Descriptions
L. W. Hebener Tract (former Pons)

No. 6 from Hotchkiss Feed Lot

An irregular tract of land lying wholly within Section 33, T22S, R31E, W.M., more particularly described as follows:

Beginning at the south west corner of said Section 33, thence North 910 feet and East 30 feet to the intersection of the east boundary of the County Road and the north west boundary of U. S. Highway 395; thence N. 50° 02' E. along said highway right-of-way boundary a distance of 2446.84 feet; thence N. 48° 35' E. a distance of 290 feet to a point on the right-of-way boundary of U.S. 395, said point being the True Point of Beginning; thence

- N. 50°09'10" W. a distance of 1873.5 feet to the eastern boundary of the County road; thence
- N. 20°44' E. along said right of way boundary a distance of 90 feet; thence
- N. 07°08' E. along said right of way boundary a distance of 328 feet; thence
- S. 63°23' E. a distance of 725 feet; thence
- S. 31°19'30" W. a distance of 360 feet; thence
- S. 58°44'30" E. a distance of 1381.82 feet, more or less, to the north western boundary of the highway right-of -way; thence

Along the arc of a curve to the right, the long chord of which bears S. 46°41' W. a distance of 380 feet, said arc being parallel to the arc of a one degree curve on said center line of said highway;

said tract containing 15.0 acres, more or less.