NOTICE TO WATER WELL CONTRACTOR  The original and first copy	T DEDODT			
of this report are to be WAILK WE		26%	20-	11 10
filed with the STATE OF STATE ENGINEER, SALEM, OREGON 97310 Please typ	a or print	/	<b>.</b>	
within 30 days from the date 3 106 (Doingt write above this line) 3 5 state Permit No.				
Of well completion.				
1) OWNER: SALEM. OREGON (11) LOCATION OF WELL:				
Name CARL, MAVO	County HARNE) Driller's well number			
Address 387 W NOKIS BURNS-OKE	SW 15E 14 Section // T. 26 S R. 28 E W.M.			
	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	CENTER OF 4 SecTION			
New Well   Deepening □ Reconditioning □ Abandon □				
If abandonment, describe material and procedure in Item 12.				<u></u> -:
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing			
Rotary Driven Domestic Industrial Municipal Domestic Industrial Municipal Domestic D	Depth drilled Fo ft. Depth of completed well Fo ft.			
Dug   Bored   Irrigation   Test Well   Office	Formation: Describe color, texture, grain size and structure of materials;			
CASING INSTALLED: Threaded   Welded X	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.			
" Diam. from ft. to ft. Gage	MATERIAL	From	То	swL
"Diam, fromft. to ft. Gage	TOP SOIL	0	4	
ERFORATIONS: Perforated?  Yes No.	YELLOW CLAY	4	19	
Type of perforator used				
Size of perforations in. by in.	BIRE CLAY	19	34	20
perforations from ft. to ft.	94.11	34	76	NONE
perforations from ft. to ft.		34	7 63	-/KON -
perforations from ft. to ft.	CHALE WITH			**
perforations from ft. to ft.	3/7/1/ W///			
perforations from ft. to ft.	SOME SMALL			4
(7) SCREENS: Well screen installed?   Yes No	GRAVEL	76	90	
Manufacturer's Name	- WITH WATER	<del> </del>		
Type			<u> </u>	<u> </u>
Diam Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.				. W
(8) WATER LEVEL: Completed well.				1
level 5 ft. below land surface Date 124/68		<u>.                                    </u>		<u> </u>
Arrestan pressure lbs. per square inch Date				
		<del>                                     </del>		<u> </u>
(9) WELL TESTS: Drawdown is amount water level is lowered below static level			<del> </del>	
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	Work started //15 /60 19 Comple	ted I E	201/14	19
hrs.	Date well drilling machine moved off of well	1 10	SA / 60	19
n n n	Date well drilling machine moved on or well	-1/2	3/6	
n n n n	Drilling Machine Operator's Certification: This well was constructed under my of		nomidion	Mata_
Bailer test 20 gal./min. with 15 ft. drawdown after 2 hrs.	rials used and information reported abo	ve are	true to	my best
Artesian flow g.p.m. Date	knowledge and berief.	-		10
Temperature of water Was a chemical analysis made?   Yes No	[Signed] (Drilling Machine Operator)	Date 5	12.1	4 D
(10) CONSTRUCTION:		, -	2 d	
Well seal-Material used BENTONITE	Drilling Machine Operator's License No.			
Depth of seal	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off?   Yes No Depth	true to the best of my knowledge and belief.			
Was a drive shoe used?   Yes No	NAME (Person, firm or corporation) (Type or print)			
Did any strata contain unusable water?   Yes   No	ALTERNS OREGIN			
Type of water? depth of strata	Address de			
Method of sealing strata off	[Signed] J. Barness	ons		
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contr	actor)		•
Gravel placed fromtt_ toft.	Contractor's License No.323 Date			, 19