RECEIVED

DEC 3 1 1980

RECEIVED

MAR 3 1 1981 225 31E

WATER RESOURCES DEPT
SALEM, OREGON V

WATER WELL REPORT

STATE OF OREGON

WATER RESOURCES DEPTO Conversation SALEM. OREGON PER Conversation

1) OWNER:	(10) LOCATION OF WELL:
Vame HoyT + Sons	County HARNEY Driller's well number
Address P.O. Box 647	N. F 4 7 11 4 Section 36 T. 22 R 3/ & W.M.
City BURNS State ORCGON	Tax Lot # Lot Blk Subdivision
2) TYPE OF WORK (check):	Address at well location: Approx 4 mi 1.E. of BURUS,
New Well □ Deepening □ Reconditioning M Abandon □	12 mile north of hwy 20
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
	Depth at which water was first found ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level /6'3'ft. below land surface. Date /2/4/80
Rotary Air Driven Domestic Industrial Municipal Rotary Mud Dug Inrigation X Test Well Other	Artesian pressure lbs. per square inch. Date
Orary Wild □ Dug □ Ingalidit	(12) WELL LOG: Diameter of well below casing
5) CASING INSTALLED: Steel A Plastic	Depth drilled ft. Depth of completed well 150 ft.
5) CASING INSTALLED: Steel A Plastic Threaded Welded X	Formation: Describe color, texture, grain size and structure of materials; and show
12. "Diam from 0 ft to 120 ft Gauge 250	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level
"Diam from	and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
	The existing well, having 18th CASING
(C) DEDECD ATIONS.	WAS cleaned To A depth of 130
(6) PERFORATIONS: Perforated? N Yes \(\sigma\) No Type of perforator used \(\frac{F_U}{F_0}\) \(\frac{F_0}{F_0}\) \(\frac{S_0 \ Perforated}{F_0}\)	120' of 12" CASING WAS INSTAILED
Size of perforations /8 in. by 23/8 in.	being blank to 24', Lourened from
11, 520 perforations from 25 ft. to 120 ft.	as to 120, To prevent further Aving.
perforations from ft. to ft.	A packer was installed and annular
perforations from	Space comented from 18' To top
	of ground.
(7) SCREENS: Well screen installed? Yes No Manufacturer's Name	
Type	
Diam. Slot Size Set from ft, to ft.	
Diam. Slot Size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
below static level	
Wes a pump test made? ☐ Yes ☐ No If yes, by whom?	
d: gal/min. with ft. drawdown after hrs.	
Air test gal/min. with drill stem at ft. hrs.	
Bailer test // gal./min. with \$\sqrt{\text{ft. drawdown after / hrs.}}	
sperature of water 52 Depth artesian flow encountered	10/2 20
	Work started /// 2 4 19 80 Completed /2/3 19 80 Date well drilling machine moved off of well /2/4 19 80
(9) CONSTRUCTION: Special standards: Yes □ No □	
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used
Well sealed from land surface to	and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] Larold Woodroll Date 12/4 1980
Number of sacks of cement used in well seal	(Drilling Machine Operator)
How was cement grout placed?p.v.m.p.c.d	Drilling Machine Operator's License No.
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to
Was pump installed? Type HP Depth ft.	the best of my knowledge and belief. Name H.D. Weed RUFF Drilles
Was a drive shoe used? Yes No Plugs Size: location ft.	(Person, firm or corporation) (Type or print)
Did any strata contain unusable water? Yes Vi No	Address OOX 1043 BURNS, ORE
Type of Water? depth of strata	[Signed] Thanged Illoochuff
Method of sealing strata off Was well gravel packed? □ Yes □ No Size of gravel:	(Water Well Contractor)
Gravel placed from	Contractor's License No