NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report WATER WELL REPORT are to be filed with the WATER RESOURCES DEPARTMENT State Well No. 278/36E-330 h STATE OF OREGON (Please type or print) within 30 days from the date tate Permit No. .... of well completion. FEB26 1990 not write above this line) WATER RESOURCES DEPT (1) OWNER: (10) LOCATION OF WELL: SALEM, OREGON Name To NI Driller's well number Pandh T. 27 SR. 36 E (2) TYPE OF WORK (check): New Well Deepening [ Reconditioning | Abandon [7] 08 If abandonment, describe material and procedure in Item 12, (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Rotary Driven [] Domestic | Industrial | Municipal | Cable Jetted 🔲 Bored [ Irrigation Test Well Other (5) CASING INSTALLED: Threaded | Welded | 12 " Diam. from O ft. to 100 ft. Gage 0, 250 ..." Diam. from ...... ft. to ..... ft. Gage ..... ....." Diam. from ...... ft. to ..... ft. Gage ..... (6) PERFORATIONS: Perforated? | Yes | No. Type of perforator used Size of perforations in. by perforations from \_\_\_\_\_ ft. to \_\_\_\_ ft. perforations from \_\_\_\_\_ft. to \_\_\_\_\_ft. perforations from ..... (7) SCREENS: Well screen installed? 🗌 Yes 🔀 No Manufacturer's Name ..... Diam. Slot size ..... Set from ..... ft. to \_\_\_\_\_ ft. Diam. Slot size Set from ..... Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? M Yes \( \subseteq \text{No If yes, by whom? DEE Dond!} \) 1070 gal./min. with 60 ft. drawdown after 3 hrs. Bailer test gal./min.\_with ft. drawdown after sian flow g.p.m. Temperature of water 57 Depth artesian flow encountered .... (9) CONSTRUCTION:

Well seal-Material used CEMENT GrouT Well sealed from land surface to .. Diameter of well bore to bottom of seal \_\_\_\_\_in. Diameter of well bore below seal \_\_\_\_\_\_\_\_\_\_in. How was cement grout placed? PRESUIC PUMP AND GLOUI PIPE Was a drive shoe used? X Yes | No Plugs ...... Size: location ...... ft. Did any strata contain unusable water? 🗌 Yes 🕱 No Type of water? depth of strata Method of sealing strata off

Was well gravel packed? 

Yes No

Gravel placed from ..... ft. to .....

- 1			(p 1
Static level 35 ft. below land	surface.	Date 2	-9-
Artesian pressure lbs. per squa	re inch.	Date	
(12) WELL LOG: Diameter of well			1711
Diameter of well			_
Depth drilled 400 ft. Depth of comp			
Formation: Describe color, texture, grain size and show thickness and nature of each stratu	and stru	cture of 1	material
With at least one entry for each change of forms	tion Rer	ort anch	ohanes i
position of Static Water Level and indicate prin	ncipal wa	ter-beari	ng strat
FALL MATERIAL	From	То	swl
TOD 50:1	0	3	Ó
Hardpan	_3	7	0
Clay (Brown	2	3.5	16
fine gravel	35	36	16
(Brown	36	64	.56
lay, Yolyes	64	81	56
shale (Blue)	81	83	2 3
[/ay (13/4e)	83	96	23
Rock (Gray)	96	134	45
andstone + grav, Brown	134	157	45
Rock (Gray)	157	160	45
lay (Orange)	160	190	45
laystoned V.C. sand (Green)	190	215	45
lay White Whowhs	1215	230	45
May, Brown	130	240	45
SOGK Brown	1380	260	40
sock (Gray)	3/0	3/0	کِچ
(Ked)	3/0	عرج	<u>کې</u>
Sack Sack	260	777	45
Work started Mov 15 19 FComplete	ed 2 - 2	2	19 %
Date well drilling machine moved off of well	2-	9	19 &
Orilling Machine Operator's Certification:			
This well was constructed under my	direct	super	vision
Materials used and information reported est knowledge and belief.	above a	are true	to my
	Date 2-	9	_1050
Signed   Land Land Land	しっけんりゅう	·····/	, 10 4
Orilling Machine Operator)  Orilling Machine Operator's License No.	117	` *	9 m. 1

This well was drilled under my jurisdiction and this report is

cher Well Drilling

true to the best of my knowledge and belief.

Name ...

[Signed]

Address 5...