NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

WATER WELL REPORT STATE OF OREGON

RECEIVED

٩	/ Beggs		بالجا	THE SHE			,			
	14	d a	iz (10 20	Well	No.	325	321/2	E-7	dd
	MA	V ~	#	CLCI	***	110.				T. T.

STATE	ENGINEER, SALEM, OREGON 97310
	within 30 days from the date
	of well completion.

(Please type or print) 5500 not write above this line)

MAR 2 4 1975 Well No.	こんこ	12/12	· (
MWIY 5 # 101.0	1		
STATE ENGINEER THILL N	o		······································
SALEM, OREGON			

110000					
(1) OWNER:	(10) LOCATION OF WELL:				
	County HARNEY Driller's well number				
Name STAN BENNETT Address FRENCHCLENN OREGON	SF 4 SE 4 Section 7 T. 325R. 32 5 6 W.M.				
	Bearing and distance from section or subdivision corner				
(2) TYPE OF WORK (check):	150' EN Sec. LINE +75' NOTLINE				
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐					
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found /50 ft.				
Rotary Driven Domestic Industrial Municipal	Static level 150 ft. below land surface. Date Nov. 25-7				
Cable Dug	Artesian pressure Ibs. per square inch. Date				
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing				
6" Diam. from +3 ft. to 20 ft. Gage :250	Depth drilled 325 ft. Depth of completed well 325 ft. Formation: Describe color, texture, grain size and structure of materials;				
ft. Gage					
ft. Gage	and show thickness and nature of each stratum and aquifer penetrated,				
PERFORATIONS: Perforated? Yes \(\) No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.				
Type of perforator used	MATERIAL From To SWL				
Size of perforations in. by in.	BROWN SOIL - BOULDERS 0 4				
perforations fromft. toft.	SOLID BLACK+GREY ROCK 4 140				
perforations fromft. toft.	ROCK CRACKS IN IT WHER 140 160 150				
perforations from ft. to ft.	SOLID ROCK MULTICOLOR-				
(7) SCREENS: Well screen installed? Yes No	(C-REY- BLACK-RED) 160 325				
Manufacturer's Name					
Type Model No.	733 7 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4				
Diam. Slot size Set from ft. to ft.					
Diam. Slot size Set from ft. to ft.					
(8) WELL TESTS: Drawdown is amount water level is lowered below static level					
Was a pump test made? ☐ Yes ☒ No If yes, by whom?					
Yield: gal./min. with ft. drawdown after hrs.					
" " "	The state of the s				
" " " "					
Bailer test 40 gal./min. with NO NOTICEABLE hrs.	72. 1 77. 1				
Artesian flow g.p.m.	7722 723				
perature of water Depth artesian flow encountered ft.	Work started OCT . 25 197/ Completed NOV 25 197/				
	Date well drilling machine moved off of well DEC. / 197/				
(9) CONSTRUCTION:	Drilling Machine Operator's Certification:				
Well seal-Material used CEMENT GROUT Well sealed from land surface to GO ft.	This well was constructed under my direct supervision.				
Well sealed from land surface toft. Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief				
Diameter of well bore below sealin.	[Signed] Frought Shipper 3-21, 1975				
Number of sacks of cement used in well sealsacks	(Drilling Machine Operator)				
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No. 10				
Brand name of bentonite	Water Well Contractor's Certification:				
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is				
of waterlbs./100 gals.	true to the best of my knowledge and belief.				
Was a drive shoe used? Yes No Plugs Size: location ft.	Name SKINNER + SONS				
Did any strata contain unusable water? Yes X No	(Person, firm or corporation) (Type or print) ORE 91732				
Type of water? depth of strata	Address				
Method of sealing strata off	[Signed] Catherine Spinner				
Was well gravel packed? [Yes No Size of gravel:	(Water Well Contractor)				
Gravel placed from ft. to ft.	Contractor's License No. 3 / Date, 19/3				
AMOUNTAIN A BOWN	TIPPE IF NECESCARY) SP45656-119				