

NOTICE TO WATER WELL CONTRACTOR  
 The original and first copy  
 of this report are to be  
 filed with the  
 STATE ENGINEER, SALEM, OREGON 97310  
 within 30 days from the date  
 of well completion.

RECEIVED

NC

STATE OF OREGON APR 7 1975

State Well No. 325/32 1/2 7 dd

STATE ENGINEER SALEM, OREGON State Permit No. Harney 1653

(1) OWNER:

Name STAN BENNETT  
 Address Frenchglen, Oregon 97736

(2) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon   
 If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary  Driven   
 Cable  Jetted   
 Dug  Bored

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
 Irrigation  Test Well  Other

CASING INSTALLED:

Threated  Welded   
 6" Diam. from +3 ft. to 20 ft. Gage 250  
 " Diam. from " ft. to " ft. Gage  
 " Diam. from " ft. to " ft. Gage

PERFORATIONS:

Perforated?  Yes  No.  
 Type of perforator used  
 Size of perforations in. by in.  
 " perforations from " ft. to " ft.  
 " perforations from " ft. to " ft.  
 " perforations from " ft. to " ft.

(7) SCREENS:

Well screen installed?  Yes  No  
 Manufacturer's Name  
 Type Model No.  
 Diam. Slot size Set from " ft. to " ft.  
 Diam. Slot size Set from " ft. to " ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level  
 Was a pump test made?  Yes  No If yes, by whom?  
 Yield: gal./min. with ft. drawdown after hrs.  
 " " " " " " " "  
 " " not noticeeable " " "  
 Bailor test 40 gal./min. with ft. drawdown after 2 hrs.  
 Artesian flow g.p.m.  
 Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement grout  
 Well sealed from land surface to 20 ft.  
 Diameter of well bore to bottom of seal 12 in.  
 Diameter of well bore below seal 6 in.  
 Number of sacks of cement used in well seal 3 sacks  
 Number of sacks of bentonite used in well seal \_\_\_\_\_ sacks  
 Brand name of bentonite \_\_\_\_\_  
 Number of pounds of bentonite per 100 gallons  
 of water \_\_\_\_\_ lbs./100 gals.  
 Was a drive shoe used?  Yes  No Plugs \_\_\_\_\_ Size: location \_\_\_\_\_ ft.  
 Did any strata contain unusable water?  Yes  No  
 Type of water? \_\_\_\_\_ depth of strata \_\_\_\_\_  
 Method of sealing strata off \_\_\_\_\_  
 Was well gravel packed?  Yes  No Size of gravel: \_\_\_\_\_  
 Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft.

(10) LOCATION OF WELL:

County Harney Driller's well number  
 SE 1/4 SE 1/4 Section 7 T. 32S R. 321/2E W.M.  
 Bearing and distance from section or subdivision corner  
 150' E of Sec. line & 75' N of line

(11) WATER LEVEL: Completed well.

Depth at which water was first found 150 ft.  
 Static level 150 ft. below land surface. Date 11/25/71  
 Artesian pressure \_\_\_\_\_ lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6"

MATERIAL	From	To	SWL
Brown soil - boulders	0	4	
Solid black & gray rock	4	140	
Rock - cracks in it, water	140	160	150
Solid rock multicolor (gray, black, red)	160	325	

Work started Oct. 25 1971 Completed Nov. 25 1971  
 Date well drilling machine moved off of well Dec. 1971

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
 [Signed] BY FORREST SKINNER Date 3-21, 1975  
 (Drilling Machine Operator)  
 Drilling Machine Operator's License No. 10

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
 Name SKINNER & SONS (Person, firm or corporation) (Type or print)  
 Address CRANE, OREGON 97732  
 [Signed] BY CATHERINE SKINNER (Water Well Contractor)  
 Contractor's License No. 372 Date 3-21, 1975