NOTICE TO WATER WELL CONTRACTOR The original and first copy of the resolution of th

WATER R SA ysithi

		1	Ula l	ベスト	-900a
State	Well	No.	וכוד	うづ下	DUUQ
				1	

RESOURCES DEPARTMENT AUG 16 1978	STATE OF OREGON	State We	
hin 30 days from the date	(Please type or print)	, State Pe	rreit No.
of well completion. IFR RESOURCES	Cho not write above this line)	v 	HARN 1832 PAI

SALEM. CREGON	(10) TOO A PROPERTY
(1) OWNER: Name (1)://iam Moser	(10) LOCATION OF WELL:
	SE WNE Section 20 T. 4/5 R. 35 E W.M.
Address Den 10, Newada	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	SE of NW Corner of Sec. 20
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	Approximately 2580 Fect
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 8.5 ft.
Rotary Driven Domestic Industrial Municipal Domestic	Static level 8.5 ft. below land surface. Date Apr. 23 78
Dug □ Bored □ Irrigation M Test Well □ Other □	Artesian pressure Nove lbs. per square inch. Date
CASING INSTALLED: Diam. from O ft. to O ft. Gage 0.35 Diam. from ft. to ft. Gage 7.35 Threaded Welded M ft. Gage 7.35 Threaded Threade	(12) WELL LOG: Diameter of well below casing 12." Depth drilled 35/ ft. Depth of completed well 35/ ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
_ype of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Course Grave 0 70' -
perforations from ft. to ft.	File Sand Some Small Grant 76 105 85
perforations fromft. toft.	Grave/- "Shale hike" 106 144 "
	Sand Lenses - Fine 145 150 "
(7) SCREENS: Well screen installed? ☐ Yes 🕱 No	Light Clay 5/ 15/5 11
Manufacturer's Name	Pea (2 rayle) 1515 155 "
Diam. Slot size Set from ft. to ft.	Medium Course Grave 185 205 "
Diam. Slot size Set from ft. to ft.	Pecu (arabel 205 215 "
(2) WELL TESTS. Drawdown is amount water level is	Brown Clay, 25 217 11
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Course Grave 217 224 "
Was a pump test made? Yes □ No If yes, by whom?	Clay - Light, 224 239 11
Yield: 2150 gal./min. with 260 ft. drawdown after 2 hrs.	Sand - Fine 240 262 11
" n "	Madium Grave 252 262 11
<u>"</u> " " "	Mixed Clay & Grave 262 265 1'
Bailer test gal./min. with ft. drawdown after hrs.	Gravel - Medium 265 271 1
Artesian flow g.p.m.	Light Clay 1271 1280 11
erature of water Depth artesian flow encountered	Work started /) e C 6 19 / Completed 197 9 19 0
(9) CONSTRUCTION:	Date well drilling machine moved off of well 40, 19/8
Well seal-Material used Concrete - Gross T	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of seal	best knowledge and belief.
Diameter of well bore below seal in. Number of sacks of cement used in well seal sacks	[Signed]
How was cement grout placed?	Drilling Machine Operator's License No.
By Hand	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is
Was a drive shoe used? Yes ☐ No Plugs Size: location ft.	true to the best of my knowledge and belief.
Did any strata contain unusable water? Tyes No	Name (Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address Denia, Nevada
Method of sealing strata off	1. Villiam March
Was well gravel packed? Yes No Size of gravel:	[Signed] (Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. Nave Date april 34 , 19/8

The original and first copy of the report The original and first copy of the report The result of th

WATER RESOURCES DEPARTMENTS 161978

STATE OF OREGON

(Please type or print)

O not write above this line)

State Well No. 415 35E-200

tithin 30-lays from the date of well completion.TER	RESOURCES	DEPT.
- 1		. 1

State Permit No. HARN 1832 Pg 2

SALEM, OREGON	MARN 1032 P92
1) OWNER: Name William Moser - (Cont.)	(10) LOCATION OF WELL: County Driller's well number
Address	
	34 14 Section T. R. W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well M Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) MARKED I ENVEL . Co
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well. Depth at which water was first found ft.
Rotary Driven Domestic Industrial Municipal	Static level ft. below land surface. Date
Cable Jetted Domestic Interest Interest Day Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
	Depth drilled ft. Depth of completed well ft.
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
PERFORATIONS: Perforated? \(\subseteq \text{ Yes} \text{No.} \)	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Terrorated	MATERIAL From To SWL
Size of perforations in. by in.	Continuetion
perforations from ft. to ft.	Grave + 5 and 280 285 85'
perforations from ft. to ft.	Grav Sand 285 293 11
perforations fromft. toft.	Grave - Course 293 296 11
	Grav Sond , 296 301 4
(7) SCREENS: Well screen installed? Yes No	Crave 1 - Medium 301 303 11
Manufacturer's Name	Sand - Fine 303 320 11
Type	Gravel in Clay, 320 327 11
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.	Grave 1 22nd Saho 2327 326 11
(8) WELL TESTS: Drawdown is amount water level is	Very Course Grove 336 351 11
lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
gal./min. with ft. drawdown after hrs.	
, , , , , , , , , , , , , , , , , , ,	
" " " "	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
erature of water Depth artesian flow encountered ft.	Work started 19 Completed 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 19
Well seal—Material used	Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal in.	[Signed] Date, 19
Number of sacks of cement used in well seal sacks How was cement grout placed?	Drilling Machine Operator's License No
now was cement grout placed?	TWIST THE GOOD AND TO GO OF THE CO.
	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is
Was a drive shoe used? 🗌 Yes 🗍 No Plugs Size: location ft.	true to the best of my knowledge and belief. Name
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata Method of sealing strata off	Address
	[Signed](Water Well Contractor)
Was well gravel packed? Yes No Size of gravel:	
Gravel placed from ft. to ft.	Contractor's License No



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem Oregon 97301 (503) 986-0900 www.oregon.gov/owrd

Last Update: 2-1-22

Application for Well ID Number

RECEIVED

Do not complete if the well already has a Well Identification Number.

OCT 31 2022

Tax Lot (usually last 3-5 numbers of Tax Map #): TL200 GPS Coordinates: Lat: 42.00239900, Long: -118.63318300 Street Address of Well, City: Fields-Denio Highway, Fields Oregon If the property had a different street address in the past: III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report	/4 of the <u>NW</u> 1/4
Mailing Address: 1415 Arobio Lane City, State, Zip: Lovelock, NV 89419 Mail Well ID to: SAME AS ABOVE In Care Of (C/O) Name & Address: In Care Of (C/O) Name & Address In Care Of	
City, State, Zip: Lovelock, NV 89419 Mail Well ID to: SAME AS ABOVE In Care Of (C/O) Name & Address: City, State, Zip: II. WELL LOCATION INFORMATION (Please fill out as completely as possible) Township: 41S (North / South) Range: 35E (East / West) Section: 20 SE 1 Tax Lot (usually last 3-5 numbers of Tax Map #): TL200 County Harney GPS Coordinates: Lat: 42.00239900, Long: -118.63318300 Street Address of Well, City: Fields-Denio Highway, Fields Oregon If the property had a different street address in the past: III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report	
Name & Address: City, State, Zip: II. WELL LOCATION INFORMATION (Please fill out as completely as possible) Fownship: 41S (North / South) Range: 35E (East / West) Section: 20 SE 1 Fax Lot (usually last 3-5 numbers of Tax Map #): TL200 County Harney GPS Coordinates: Lat: 42.00239900, Long: -118.63318300 Street Address of Well, City: Fields-Denio Highway, Fields Oregon If the property had a different street address in the past: III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report	
Name & Address:	
I. WELL LOCATION INFORMATION (Please fill out as completely as possible) Township: 41S (North / South) Range: 35E (East / West) Section: 20 SE 1 Tax Lot (usually last 3-5 numbers of Tax Map #): TL200 County Harney GPS Coordinates: Lat: 42.00239900, Long: -118.63318300 Street Address of Well, City: Fields-Denio Highway, Fields Oregon If the property had a different street address in the past: III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report	
I. WELL LOCATION INFORMATION (Please fill out as completely as possible) Township: 41S (North / South) Range: 35E (East / West) Section: 20 SE 1 Tax Lot (usually last 3-5 numbers of Tax Map #): TL200 County Harney GPS Coordinates: Lat: 42.00239900, Long: -118.63318300 Street Address of Well, City: Fields-Denio Highway, Fields Oregon If the property had a different street address in the past: III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report	
Township: 41S (North / South) Range: 35E (East / West) Section: 20 SE 1 Tax Lot (usually last 3-5 numbers of Tax Map #): TL200 County Harney GPS Coordinates: Lat: 42.00239900, Long: -118.63318300 Street Address of Well, City: Fields-Denio Highway, Fields Oregon If the property had a different street address in the past: III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report	
III. <u>GENERAL WELL INFORMATION</u> (Please fill out as completely as possible, AND attach copy of Well Repo	
Use of Well (domestic, irrigation, commercial, industrial, monitoring): irrigation Work Date Well Constructed (or property built): 4/24/1978 Total Well Depth: 351′ Casing Owner at time the well was constructed (if known): William Moser Well Report # (if known)	R Cert 93571 g Diameter: 12"
Other Information: Well Log: HARN 1832	•
SUBMITTED BY (please print): Robert DePaoli	
PHONE: 775-530-3555 EMAIL &/or FAX:	
To send the completed application, you may MAIL it to: Oregon Water Resources Dept. 725 Summer St NE, Suite Or EMAIL the completed PDF form to: Ladeena.K.Ashley@water.oregon.gov, or FAX it to: (503) 986-0902.	
For Official Use Only by the Oregon Water Resources Department:	
Received Date: Well Report Number:	Well Identification #:
10-31-2022 HARN 1832	L-149817