RECEIVED

The original and first copy of this report are to be filed with the

WATER WELL REPORT ]

STATE OF OREGONTE ENGINEER

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

Was well gravel packed? ☐ Yes ☑ No

Gravel placed from .....

(Please type or print), FM. OREGON

rm Springs Indian Agency-BIA, P.O. Box 3785, Portland,	Ore.
(1) OWNER:	(11) LOCATION OF WELL:
Name Burns Plaute Tribe	County / 12- bel Driller's well number
Address Burns Ruservation	NE 14 5E 14 Section / T. 23 SR. 30 E W.I
	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	
New Well   Deepening □ Reconditioning □ Abandon □	
If abandonment, describe material and procedure in Item 12.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing/
Rotary Driven Domestic Industrial Municipal	
Dug   Bored   Irrigation P Test Well   Other	
(5) CASING INSTALLED: Threaded   Welded	and show thickness and nature of each stratum and aquifer penetrate
(5) CASING INSTALLED: Threaded Welded Welded 1	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rate
"Diam from ft. to ft. Gage ft. Gage	
"Diam, from ft, to ft, Gage	
Dani Hon 11, W 11, Gage	Top Soit 0 10
6) PERFORATIONS: Perforated?   Yes No.	Yellor Chay 10 20
Type of perforator used	Cenested Gravel 25 130 18
Size of perforations in. by in.	Blue Chay 130 166 40
perforations from ft. to ft.	Corse 6/29/21 166 167 31
perforations fromft. toft	13 Lue ELay 190 21
perforations from ft. to ft.	Sand Stone / 190 200 21
perforations fromft_toft	
perforations from ft. to ft	General Gravel 308 318 20
	344 d State 2/6 230 2 0
(7) SCREENS: Well screen installed?   Yes   No	BLUE Chay 230 240 30
Manufacturer's Name	Gorse Grave 19540 240 242 21
Type Model No.	
Diam Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft. to ft.	
(8) WATER LEVEL: Completed well.	
Static level 7/ ft. below land surface Date 2/22//	<i>y</i>
lbs. per square inch Date	
lowered below static level	
Was a pump test made? ☐ Yes ☐ No If yes, by whom?	- Warner 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
vield: 1332 gal./min. with 74 ft. drawdown after 110 hrs	
" " "	Date well drilling machine moved off of well 4 19
" "" "	Drilling Machine Operator's Certification:
Bailer test gal./min. with ft. drawdown after hrs	This well was constructed under my direct supervision. Mate
	rials used and information reported above are true to my be knowledge and belief.
Artesian flow g.p.m. Date	11910
Temperature of water 2/ Was a chemical analysis made?   Yes	[Signed] Date 2/2, 192
(10) CONSTRUCTION:	Duilling Mashine Onematow's License No. 2 9
Well seal-Material used	Drilling Machine Operator's License No.
Depth of seal	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report
Were any loose strata cemented off?   Yes   No Depth	true to the best of my knowledge and belief.
Was a drive shoe used? ☐ Yes ☐ No	NAME JEHN W 125513E/26- (Person, firm or corporation) (Type or print)
Did any strata contain unusable water?    Yes  No	(Type or print)
Type of water? depth of strata	Address / Ca / St / 6 / Lion C / 1
	1 day The heard
Method of sealing strata off	[Signed] (Water Well Contractor)

Size of gravel: