WATER WELL REPORT STATE OF OREGON

ddc 23/30 - 26 R

File (Origir	al and	i
First	Copy	with	the
		IGINE	

\overline{c}	2	7	2	\
VZ		1		3

State Permit No.

STATE ENGINEER, SALEM, OREGON CTE ENG	INEER STATE OF	F OREGON G3/2-\ State Permit No	***************************************		
(1) OWNER:		(11) WELL TESTS: Drawdown is amount we lowered below static levered belo	rater level	l is Vater	
Name EDWARD HINES LUMBER C	ю	Was a pump test made? ∑ Yes ☐ No If yes, by whom	, Lift	er Co.	
Address		Yield: 1500 gal./min. with 23 ft. drawdown		8 hrs.	
HINES, OREGON		,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,		***************************************	
(2) LOCATION OF WELL:	3	2) 2) 2)		, , , , , , , , , , , , , , , , , , , 	
• •	mber, if any—	Bailer test gal./min. with ft. drawdown	ı after	hrs.	
	23 R.30 E W.M.	Artesian flow g.p.m. Date			
Bearing and distance from section or subdivisi		Temperature of water 70 Was a chemical analysis ma	αe? ∐ Y	es KINO	
		(12) WELL LOG: Diameter of well	12	inches.	
		Depth drilled 218 ft. Depth of completed we	ell	218 ft.	
		Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of t stratum penetrated, with at least one entry for each cl	l and stru he mater lange of	icture, and ial in each formation.	
		MATERIAL	FROM	TO	
(3) TYPE OF WORK (check):		FILL MATERIAL	0	4	
	aditioning	CIAY	. 4	7	
If abandonment, describe material and proced	ure in Item 11.	MEDIUM SAND AND WATER	7_	14	
(A) PROPOSED USE (shock).	(5) TYPE OF WELL:	HARD CLAY	<u>14</u>	35	
(4) PROPOSED USE (check):	Rotary Driven	SAND AND GRAVEL	35	40	
Domestic Industrial Municipal	Cable 🔼 Jetted 🗌	VOLCANIC ROCK (VERY HARD)	<u>40</u> 51	120	
Irrigation K Test Well Other	Dug 🗌 Bored 🗎	RED CINDERS	120	145	
	readed 🗌 Welded 🖔	DARK VOLCANIC ROCK (VERY HARD) RED CINDERS	145	165	
12" Diam. from 0 ft. to	41 ft. Gage . 025	HARD ROCK	165	193	
" Diam. from ft. to	ft. Gage	RED CINDERS	193	217	
	ft. Gage	HARD ROCK	217	218	
(7) PERFORATIONS: Pe	erforated? 🔀 Yes 🗌 No			-	
Type of perforator used TORCH	1				
SIZE of perforations 3/8 in. by 420 perforations from	4 in.				
perforations from perforations					
perforations from					
perforations from			i 	 	
perforations from				 	
	installed 🗆 Yes 🏝 No			-	
Manufacturer's Name	·				
Type			ļ		
Slot size Set from	ft. to ft.				
Diam Slot size Set from	ft. to ft.	Work started 3-30- 19 65 Completed	4-7	1965	
(9) CONSTRUCTION:	_ · ··	(13) PUMP:			
Was well gravel packed? ☐ Yes K No Siz	e of gravel:	Manufacturer's Name	****************		
Gravel placed from ft. to		Type: H.P.			
Was a surface seal provided? ⚠ Yes ☐ No Material used in seal— CONCRETE	To what depth?20 ft.	Well Driller's Statement:		· · · · · · · · · · · · · · · · · · ·	
Did any strata contain unusable water?	es KANo	This well was drilled under my jurisdiction	and this	report is	
Type of water? Depth of	• •	true to the best of my knowledge and belief.			
Method of sealing strata off		NAME WESTERN DRILLING CO.			
(10) WATED I EVELS.		(Person, firm, or corporation) (T	ype or pri		
(10) WATER LEVELS: Static level 10 ft. below land	d surface Date 4-7-65	Address P.O. BOX 751 BURNS.	OREGO!	N	
	uare inch Date	Duillow's vivil nambon			
	11000000	Driller's well number	/		
Log Accepted by:		[Signed] (Well Driller)	W/L	<u> </u>	
[Signed] Date	4-7-65 , 19.65	1 // 3	-10-	, ₁₉ 65	
		···-			