

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

RECEIVED
WATER WELL REPORT
RECEIVED

JUL 29 1968

AUG 13 1968

35 Harney
322
23/30-35 R

STATE ENGINEER, SALEM, OREGON
within 30 days from the date
of well completion.

STATE ENGINEER
SALEM OREGON

STATE ENGINEER
SALEM OREGON

(1) OWNER:

Name Hotchkiss Co.
Address Burns, Oregon 97720

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
12" Diam. from 0 ft. to 113 ft. Gage .025
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? Yes No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

level 5 ft. below land surface Date 7-20-68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
gal./min. with ft. drawdown after hrs.
" " " " "
" " " " "
Bailer test 10 gal./min. with 20 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used Bentonite
Depth of seal 20 ft.
Diameter of well bore to bottom of seal 18 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Harney Driller's well number
SE ¼ SE ¼ Section 35 T. 23 R. 30 E. W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 211 ft. Depth of completed well 211 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Top soil	0	3	
Brown clay	3	15	5
Mixed colored clay	15	35	5
Sand and Med. gravel	35	50	5
Red cinder rock	50	75	5
Red rock (very hard)	75	85	5
Red and grey rock (very hard)	75	90	5
Grey rock (extremely hard)	90	211	5

Work started 4-9-1968 Completed 7-20-1968
Date well drilling machine moved off of well 7-21-1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] J. W. McAlister Date 7-21, 1968.
(Drilling Machine Operator)
Drilling Machine Operator's License No. 385

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Western Drilling Co.
(Person, firm or corporation) (Type or print)
Address P. O. Box 751 Burns, Oregon 97720
[Signed] J. W. McAlister
(Water Well Contractor)
Contractor's License No. 426 Date 7-21-68, 19.....