

N.C.

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print) Do not write above this line

RECEIVED JUL 1 1 1969

State Well No. 23/31-5cca State Permit No.

Handwritten: 352

(1) OWNER:

Name Robert Shannon Address Sherwood, Oregon

(2) TYPE OF WORK (check):

New Well [] Deepening [x] Reconditioning [] Abandon []

(3) TYPE OF WELL:

Rotary [] Cable [x] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

8" Diam. from 0 ft. to 25.2 ft. Gage 250

PERFORATIONS:

Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 18 ft. below land surface Date 5/26 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [] No If yes, by whom? John Chase Yield: 80 gal./min. with 52 ft. drawdown after 2 hrs.

(10) CONSTRUCTION:

Well seal-Material used puddled clay Depth of seal 118 ft. Diameter of well bore to bottom of seal 12 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [x] Yes [] No Type of water? sand depth of strata 38 Ft. Method of sealing strata off cased Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Harney Driller's well number SW 1/4 SW 1/4 Section 5 T. 23 R. 31 W.M. Bearing and distance from section or subdivision corner N.E. Corner of SW 1/4 SW 1/4 Sec 5

(12) WELL LOG:

Diameter of well below casing 8 in. Depth drilled 265 ft. Depth of completed well 265 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Sand Black Fine, Blue Clay, Brown Sandstone, clay & water.

Work started 5/24 1969 Completed 5/26 1969 Date well drilling machine moved off of well 8/1 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Frank Skinner Date 7/8 1969

Drilling Machine Operator's License No. 276

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Skinner & Sons (Person, firm or corporation) (Type or print) Address Crane, Oregon [Signed] Catherine Skinner (Water Well Contractor) Contractor's License No. 372 Date 7-8 1969