STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

HARN 52101

WELL I.D. LABEL# L 115029**START CARD #** 1024031 ORIGINAL LOG#

8/2	612	Λ1	4

, , , ,	33.202.
(1) LAND OWNER Owner Well I.D.	
First Name MARY Last Name OTLEY	(9) LOCATION OF WELL (legal description)
Company	County HARNEY Twp 29.00 S N/S Range 31.00 E E/W WM
Address 40926 S DIAMOND LANE	
City DIAMOND State OR Zip 97722	Sec 8 SW 1/4 of the SW 1/4 Tax Lot 101
2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat " or 43.0663 DMS or DD Long " or -118.8985 DMS or DD
Alteration (complete 2a & 10) Abandonment(complete	5a) Lat or 43.0003 DIVIS of DD
2a) PRE-ALTERATION	Long or118.8985 DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address
Casing:	BUENA VISTA HWY 205
Material From To Amt sacks/lbs	
Seal:	- (10) CITA INC. WA MED I EVIET
3) DRILL METHOD	(10) STATIC WATER LEVEL
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration
Reverse Rotary Other	Completed Well 8/18/2014 35
4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?
Industrial/Commericial X Livestock Dewatering	WATER BEARING ZONES Depth water was first found 35.00
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)
5) BORE HOLE CONSTRUCTION Special Standard (Attach c	——————————————————————————————————————
Depth of Completed Well 310.00 ft.	(DPY) 8/18/2014 35 310 25 35
·	eks/
	OS DIS
12 0 18 Bentonite Chips 0 18 20 S	
8 18 310 Bentomic emps 6 16 26 B	
	(4) ***** 1.00
	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
X Other POURED & TAMPED	TOPSOIL - SANDY LOAM 0 1
Backfill placed from ft. to ft. Material	CLAY - YELLOW 1 29
Filter pack from ft. to ft. Material Size	CLAY - GREEN 29 37
	— CLAY - BLUE 37 90
Explosives used: Yes Type Amount	CLAY - GRAY 90 170
5a) ABANDONMENT USING UNHYDRATED BENTONITE	CLAYSTONE 170 190
Proposed Amount Actual Amount	CLAY - GREEN 190 265
	SANDSTONE - BROWN 265 280
6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Tl	CLAY - GRAY 280 287
	CLAYSTONE - BLUE 287 310
(◆	
	-
	-
	-
	_
Shoe Inside Outside Other Location of shoe(s)	
Temp casing Yes Dia From To	
7) PERFORATIONS/SCREENS	-
Perforations Method	
Screens Type Material	_ Date Started8/15/2014
Perf/ Casing/ Screen Scrn/slot Slot # of Tele	
Screen Liner Dia From To width length slots pipe s	(unbonded) Water Well Constructor Certification
	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number Date
8) WELL TESTS: Minimum testing time is 1 hour	-
Pump Bailer • Air Flowing Artesian	Signed
	(bonded) Water Well Constructor Certification
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 25 310 1	` '
25 510 1	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Temperature 59 °F Lab analysis Yes By	
Water quality concerns? Yes (describe below) TDS amount From To Description Amount Units	License Number 1424 Date 8/26/2014
From To Description Amount Units	Signed TD COTTON V DV EV C CL S
	Signed TIMOTHY K RILEY (E-filed)
	Contact Info (optional) TIMOTHY RILEY 541-573-5695
ODICINAL WATER RECOURCE	ES DEDA DIMENIT