HARN 524 STATE OF OREGON	81 WELL I.D. LABEL# L 120015	Page 1 of 1
WATER SUPPLY WELL REPORT	START CARD # 1029904	
(as required by ORS 537.765 & OAR 690-205-0210) 3/28/		
(1) LAND OWNER Owner Well I.D.		
First Name ANDY Last Name ROOT	(9) LOCATION OF WELL (legal description)	
Company	County HARNEY Twp 22.00 S N/S Range 32.50 E	E/W WM
Address 524 N HWY 20 City HINES State OR Zip 97738	Sec -33 29 NE 1/4 of the -SW SE 1/4 Tax Lot 1900	
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot	
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat ' ' or D	MS or DD
(2a) PRE-ALTERATION	Long ' ' or D	MS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address	
Casing: Casing	72163 RATTLESNAKE RD BURNS OR 97720	
Material From To Amt sacks/lbs Seal:		
(3) DRILL METHOD	(10) STATIC WATER LEVEL	
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SV Existing Well / Pre-Alteration	WL(ft)
Reverse Rotary Other	Completed Well 3/28/2016	61
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?	01
Industrial/Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 15.00)
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + S	
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)		
Depth of Completed Well 450.00 ft.	3/21/2016 15 50 20 3/28/2016 140 450 1000	2 61
BORE HOLE SEAL sacks/	5/25/2010 140 150 1000	01
Dia From To Material From To Amt Ibs		
20 0 131 Cement 0 65 70 S 14 131 300 Calculated 57.32		
12 300 450		
Calculated	(11) WELL LOG Ground Elevation	
How was seal placed: Method $\square A \square B \boxtimes C \square D \square E$		То
Other	sandy soil 0 tan clay 2	2
Backfill placed from <u>65</u> ft. to <u>67</u> ft. Material <u>CEMENTING BASK</u>	tan clay 2 sandy brown clay 8	8
Filter pack from ft. toft. MaterialSize	sand and grey clay 17	50
Explosives used: Yes Type Amount	fractured green grey claystone 50	450
(5a) ABANDONMENT USING UNHYDRATED BENTONITE		
Proposed Amount Actual Amount		
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	RECEIVED BY OW	VRD
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd \bigcirc 14 \times 2 131 .250 \bigcirc \times \times		
	APR 2 1 2016	
	AFR Z L 2010	
	SALEM, OR	
Shoe Inside Outside Other Location of shoe(s)		
Temp casing Yes Dia From To To	This report was ariginally a filed to the Dana	
(7) PERFORATIONS/SCREENS Perforations Method	This report was originally e-filed to the Depa	
Screens Type Material	the original e-filed document is attached.	
Perf/ Casing/Screen Scrn/slot Slot # of Tele/		
Screen Liner Dia From To width length slots pipe size	I certify that the work I performed on the construction, deepening, alteration, or	
	abandonment of this well is in compliance with Oregon water supply well	
	construction standards. Materials used and information reported above are true to the best of my knowledge and belief.	
	License Number 1739 Date 3/28/2016	
	Dicense Humber 1739 Date 3/28/2010	
(8) WELL TESTS: Minimum testing time is 1 hour	Signed CHARLES M FRY (E-filed)	
Pump Bailer Air Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 100 450 2	I accept responsibility for the construction, deepening, alteration, or abandonment	
	work performed on this well during the construction dates reported above. All work	
	performed during this time is in compliance with Oregon water supply well	
Temperature 72 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.	
Water quality concerns? Yes (describe below) TDS amount From To Description Amount Units	License Number 1355 Date 3/28/2016	
Tion To Description Attourt Onits	Signed ARTHUR L FRY (E-filed)	
	Contact Info (optional)	

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: