STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

HARN 52695

WELL I.D. LABEL# L 12/953 START CARD# 2126 47 ORIGINAL LOG#

(1) LAND OWNER Owner Well I.D.	HARN 52695
First Name Tim Last Name PUCKETT	MARIV JAGOTO
	(9) LOCATION OF WELL (legal description)
Address Po 13 of 255	County Harry Twp 26 N/S Range 22 E/W WM
City CIV State Of Zip 97641	Sec 34 1/4 of the 1/4 Tax Lot 500
	Tax Map Number Lot
(2) TYPE OF WORK New Well Deepening Conversion Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat 43 ° 15 ' 940" or DMS or DD
	Long 118 ° 44' 73 " or DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address
Casing:	
Material From To Amt sacks/lbs	No Address assiml
Seal:	
(3) DRILL METHOD	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)
	Existing Well / Pre-Alteration
Reverse Rotary Other	Completed Well
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?
Industrial/ Commericial Livestock Dewatering	WATER BEARING ZONES Depth water was first found
Thermal Injection Other	·
	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	10-31-17 65 10 Sough 22
Depth of Completed Well 260 ft.	11-1-17 70 125 /avys 271
BORE HOLE SEAL sacts	11-10-17 123 185 2 wight 271
Dia From To Material From To Amt Ibs	7270 17 12 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
23 0 24 Bent 0 24 40	
16" 2" 2 Calculated 35	
8 200 2600	(4) WELL LOC
Calculated	(11) WELL LOG Ground Elevation
How was seal placed: Method A B C D E	Material From To
Vother 3 mile Pom	701 Sail 0 2
Backfill placed from ft. to ft. Material	Brown Clay 2 19
Filter pack from ft. to ft. Material Size	Black hun HOLK 19 60
	Black Have Ciden 68 70 63
Explosives used: Yes Type Amount	Black Cide 125 185
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Black Cide 175 185
Proposed Amount Pounds Actual Amount Pounds	Brown Law Rom 155 200
(6) CASING/LINER	Cray Basint 200 160
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	DECEMPO DE OURS
8 0 16" ± 1 24 , 250 8 0 8	RECEIVED BY OWRD
	RECEIVED
	DEC 0 4 2017
	DEC 1 2 2018
Shoe Inside Outside Other Location of shoe(s)	CALCILOR
	SALEM, OR
Temp casing Yes Dia From To	OWRD
(7) PERFORATIONS/SCREENS	
Perforations Method	10 31 17 1/ 10 17
Screens Type Material	Date Started 10-31-17 Completed 11-12-17
Perf/S Casing/ Screen Scm/slot Slot # of Tele/	(unbonded) Water Well Constructor Certification
creen Liner Dia From To width length slots pipe size	
	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number Date
(a) MICH Exports	Date
(8) WELL TESTS: Minimum testing time is 1 hour	Signed
Pump Bailer Air Flowing Artesian	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
3000 gal 200 4 hr	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply well
Temperature 53° °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
Water quality concerns? Yes (describe below) TDS amount 285	License Number 1654 Date 11-30-17 Signed
From To Description Amount Units	
	Signed
	Contact Info (optional)