CRABINE	and Andrew State (基本) Andrew State (Andrew	
DECEIVE		. +
NOTICE TO WATER WELL CONTRACTOR UCT 5 1967	952	
filed with the	ELL REPORT (33) State Well No. 24/322-/	3
STATE ENGINEER, SALEM, OREGON 97310 Within 30 days from the date of well completion.	or or print)	
of well completion.	G-4725 State Permit No.	
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level?	
	Was a pump test made? Yes \(\text{No If yes, by whom?} \)	1
Address Jawen Orly	Yield: // 25 gal./min. with 40 ft. drawdown after	hrs.
(2) LOCATION OF THEY	" " "	
(2) LOCATION OF WELL:		<u>"</u>
County Driller's well number	Bailer test gal./min. with ft. drawdown after Artesian flow g.n.m. Date	hrs.
NW 1/4 N Section / 3 T. 2 4 R. 32 L W.M.	Artesian flow g.p.m. Date Temperature of water 5 4 Was a chemical analysis made? ☐ Yes ☐	
Bearing and distance from section or subdivision corner	(12) WELL LOC.	140
aprof 200 N + E of House	Diameter of well below casing	•••••
	Depth drilled L 4 L ft. Depth of completed well 2 4 L	<u>ft.</u>
	Formation: Describe by color, character, size of material and structure, show thickness of aquifers and the kind and nature of the material in estatum population.	and each
	stratum penetrated, with at least one entry for each change of format	ion.
(3) TYPE OF WORK (check):	MATERIAL FROM TO)
Well	70P SO12 0 3	
ir candonment, describe material and procedure in Item 12.	VELLOW CLAY 3 3C	<u>) </u>
(4) PROPOSES	BLUE BLACK CAUD 30 65	
	DIVIE OF AVECTOR MAY 50 110	<u>) </u>
Industrial Municipal Cable Jetted	BURE BIBE CLAV	<u>. </u>
Dug Bored	COURSE + 27ED CRAVEL 340 24	<u>リー</u> . う
(6) CASING INSTALLED: Threaded Welded		-
12 " Diam. from 230 ft. toft. Gage 250		
ft. to ft. Gage		
ft. to		
(7) PERFORATIONS: Perforated? Yes No		
Type of perforator used		
Size of perforations in, by in.		
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations fromft. toft.		
perforations fromft. toft.		<u> </u>
(0) CODERAGO		
(8) SCREENS: Well screen installed? Wes And		 :
Manufacturer's Name		
Model No.		— '
Diam. Slot size Set from ft. to ft. Diam. Slot size ft.	Work started 7 - 1 1967 Completed 7 - 20 196	47
	Date well drilling machine moved off of well \$2 3 0 196	<u>5</u> 7
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in seal	Manufacturer's Name 2004	
Depth of seal ft. Was a packer used?	Type: HP	•••••
Diameter of well bore to bottom of sealin.		
Were any loose strata cemented off? 🗆 Yes 📈 No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? Wes \(\subseteq No	This well was drilled under my jurisdiction and this report	is
Was well gravel packed? Yes No Size of gravel:	true to the best of my knowledge and belief.	
Did any strata contain unusable water? Yes No	NAME JOHN V ROSSBERG	
Type of water? depth of strata	Address (Ferson, firm or corporation) (Type or print)	
Method of sealing strata off		••••
(10) WATER LEVELS:	Drilling Machine Operator's License No. 2 6	
It about land surface	[Signed] John W. Toosker	
Static level / // ft. below land surface Date 325 6	(Water Well Contractor)	••••
Artesian pressure lbs. per square inch Date	Contractor's License No. 2 Date 9-19-10/	07

(USE ADDITIONAL SHEETS IF NECESSARY)