STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

RECEINED 50507

JUN 27 2005

W

WATER RESOURCES DEPT Instructions for completing this report are on the last Age With REGION

WELL I.D. # L _7	1089
START CARD#	W173738
F WELL (legal des	cription)

(1) LAND Name RIC	OWNE	R FOY		Well Numb	er <u>1</u>		(9) LOCATION (County HOOD RE		_)	
Address 2							Tax Lot 2903		Lot		
City HOO			State	OR	Zi	97031	Township 2 Section 28	N	Range <u>10</u>	E	WM
							Section 28	SW	1/	4 <u>SW</u>	1/4
(2) TYPE Deepeni			✓ New W pair/recondi		bandonn	nent Conversion	Lat° Long°			(degr	ees or decimal)
<u>-</u>	Air 🔲 Ro	tary Mud	☐ Cable [Auger [Cable I	Mud	Street Address of We RIVER OR 97031			HOULEY R	D HOOD
Other _							(10) CEATIC WA	TED I EVEL			
(4) PROP Domest	ic 🔲 C	ommunity		strial 🔲	_		(10) STATIC WA	ft. below land surfa		ate <u>05-19-05</u>	
☐ Thermal ☐ Injection ☐ Livestock ☐ Other					ft. below land surface. Date Artesian pressurefb. per square inch Date						
(5) BORE	HOLE	CONSTI	RUCTION	Special C	onstruct	ion: 🗌 Yes 🔽 No	Artesian pressure	lb. per squ	are inch D	ate	
Denth of C	ompleted V	Vell 435	fL				(11) WATER BE	ARING ZONES			
Explosives	used: 🔲	Yes 🚺 N	о Туре		Amou	nt	Depth at which water				
ВС	ORE HOL	E			SEAL		From	To	Estimate	d Flow Rate	SWL
Diameter		To	Materia			Sacks or Pounds	280	310	95		1
12"	0	80	CE	18	18	15 SACKS				~ ~	
12" 8"	80	435	BE		16	10 SACKS			-		
•	00	1400							-		
How was s	eal placed:	Metho	d \square A	В	Z C	D DE	(12) WELL LOG	Grou	nd Elevation		
Other_								erial	From	To	SWL
Backfill pla	aced from		ft. to	_ft. Ma	terial		TOPSOIL	ei iai	0	11	1
Gravel place	ced from _		ft. to	_ft. Size	e of grav	el	BROWN CLAY		1	3	1
(6) CASE	NC/LINI	CR.					BROWN BASAL	T, FRACTURED,		25	1
)iameter		To Ga	uge Steel	Plasti	c Welded Threaded	W/CLAY		3	25	1
Casing: 8				o Z1	_		BROWN BASAL		25 62	62 108	1
_				0			GRAY BASALT, GRAY BASALT,		108	128	1
_				₽			GRAY&BROWN			145	1
T		 -		— 片	片		GRAY BASALT,		145	170	1
Liner:					H H	GRAY BASALT	N/BRWN SEAMS	170	191	1	
		🗀			_		GRAY BASALT,		191	265	1
	-		Outside				GRAY BASALT,		265	280	1
Final locat	ion of shoe	(8)					FRACTURED, W.		280 280	293 293	1
(7) PERF	ORATIO	NS/SCI	REENS				BROWN BASAL		293	310	1
	forations	3110/001	Method _				YELLOW SEAMS		293	310	1
☐ Sen	eens		Туре		Ma	terial	Date Started 05-11		ompleted 05	-19-05	3.2
TZ	Tr	61-4	Name barr T	Yamatan	Tala/nir	o Cosina Liner					
From	To	Size	Muniber T	лащетег	size	e Casing Liner	(unbonded) Water	Well Constructor	Certification		
		1				🗆 🗆	abandonment of this	work I performed o			
							construction standar				
	↓	1				_ 片 片	the best of my know			•	
-	-	 						/		00.05	
	1		1			<u> </u>	WWC Number 12) 1 111	Date <u>5-3</u>	20-05	-
(8) WEL ☐ Pur	_	S: Minin Bailer	rum testin [2] Air			ng Artesian	Signed	and 11hot	ne Vy		
-	gal/min	Draw		Drill stem		Time	(bonded) Water W	ell Constructor Ce	rtification		
95	Sanmin	100		50'	i a .	1 HR		ibility for the constr		ning, alteration	n, or
							abandonment work	performed on this w	ell during the	construction	dates reported
							above. All work pe	rformed during this	time is in con	npliance with	Oregon water
Temperatu	re of water	55	De	pth Artesian	Flow F	ound	supply well construe	ction standards. Thi	s report is tru	e to the best of	i my knowledge
*			Yes By w	-			and venet.				
	•		_		se?	☐ Too little	WWC Number 73	1	Date <u>5-</u>	20-05	
Did any strata contain water not suitable for intended use?											
			Conore				Signed han	les L -	moor	<u></u>	
pa. 02 b								- /	"-····		
	ORIG	HNAL - V	VATER RES	SOURCES	DEPAR'	TMENT FIR	ST COPY – CONSTRU	JCTOR SE	COND COPY	- CUSTOM	ER 06/16'

WELL	I.D.	# L	74089
------	------	-----	-------

WATER SUPPLY WELL REPORT	WELL I.D. # L 74089
(as required by ORS 537.765)	START CARD # W17373

Instructions for completing this report are on the last page of this form.					
Name RICHARD H FOX	(9) LOCATION OF WELL (legal description) County HOOD RIVER				
Address 2470 LICHENS DR	Tax Lot 2903 Lot				
City HOOD RIVER State OR Zip 97031	Township 2 N Range 10 E WM Section 28 SW 1/4 SW 1/4				
(2) TYPE OF WORK New Well Abandonment Conversion	Section 28 SW 1/4 SW 1/4 Lat " "or (degrees or decimal) Long " "or (degrees or decimal)				
(3) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mud Other	Street Address of Well (or nearest address) 3301 GILHOULEY RD HOOD RIVER OR 97031				
(4) PROPOSED USE Domestic Community Industrial Irrigation Thermal Injection Livestock Other	(10) STATIC WATER LEVEL 1 ft. below land surface. Date 05-19-05 Date 05-19-05				
(5) BORE HOLE CONSTRUCTION Special Construction: Yes No	Artesian pressure lb. per square inch Date				
Depth of Completed Well 435 ft. Explosives used: Yes No Type Amount	(11) WATER BEARING ZONES Depth at which water was first found 280'				
BORE HOLE SEAL Diameter From To Material From To Sacks or Pounds 12" 0 80 15 SACKS	From To Estimated Flow Rate SWL 280 310 95 1				
12" 0 80 CE 18 80 15 SACKS 12" 0 80 BE 0 18 10 SACKS					
8" 80 435					
How was seal placed: Method 🔲 A 🔲 B 💋 C 🔲 D 🔲 E	(12) WELL LOG Ground Elevation				
T 04	Material From To SWL				
Backfill placed fromft. toft. Material	Waterial 140m 10				
Gravel placed fromft. Size of gravel	CONTINUED				
CO CLOTHOU BUD	GRAY BASALT, MEDIUM, FRACT 310 321 1				
(6) CASING/LINER Diameter From To Gauge Steel Plastic Welded Threaded	GRAY BASALT W/TAN CLAY- 321 335 1				
Casing: 8" 0 80 .250 \[\bigz \]	STONE 321 335 1 PED RASALT 335 380 1				
	RED BASALT 335 380 1 GRAY BASALT, MED HARD 380 435 1				
	GRAY BASALI, MED HARD SOO				
	HECEIVED				
Casing: 8" 0 80 .250					
	JUN 2 7 2005				
	JUN 2 (2003)				
Final location of shoe(s)					
(7) PERFORATIONS/SCREENS	WATER RESOURCES DEFT SALEM, OREGON				
Perforations Method	SALEM, OREGON				
Screens Type Material	Date Started 05-11-05 Completed 05-19-05				
From To Slot Number Diameter Tele/pipe size Casing Liner Cunbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief. WWC Number 1256 Date 5-20-05					
(8) WELL TESTS: Minimum testing time is 1 hour ☐ Pump ☐ Bailer ☑ Air ☐ Flowing Artesian	Signed Now Man 5				
Yield gal/min Drawdown Drill stem at Time 95 100 250' 1 HR Temperature of water 55 Depth Artesian Flow Found	(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.				
Was a water analysis done? Yes By whom	100 Marie 1 724 Date 5 20.05				
Did any strata contain water not suitable for intended use?	WWC Number 731 Date 5-20-05 Signed Charles L. Moore				