					Page 1 of 1
STATE OF OREGON	HOOD	50809	WELL I.D. LABEL# 1	104750	
WATER SUPPLY WELL REPORT	1010	10.04.0	START CARD #	208053	
(as required by ORS 537.765 & OAR 690-205-0210)	10/26/	/2012	ORIGINAL LOG #		
(1) LAND OWNER Owner Well I.D.					
First Name Last Name		(9) LOCAT	ION OF WELL (legal d	lescription)	
Company TUM-A-LUM LUMBER Address 408 HWY 35			IVER Twp 3.00 N N		
Address 408 HW 1 35 City HOOD RIVER State OR Zip 97031		Sec <u>25</u> <u>S</u>	$SE_{1/4}$ of the $SE_{1/4}$	1/4 Tax Lot 901	1
		Tax Map Numbe	er' or '" or	Lot	
Alteration (complete 2a & 10) Abandonmen	onversion	Lat°	' or		DMS or DD
(2a) PRE-ALTERATION	t(complete 3a)	Long°	' or		_ DMS or DD
Dia + From To Gauge Stl Plstc Wld Thr	d		eet address of well ONe	arest address	
	408 HWY 35 H	OOD RIVER OR 97031			
Material From To Amt sacks/lbs Seal:					
(3) DRILL METHOD		(10) STATIC	C WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mu	ud		Date	e SWL(psi) +	SWL(ft)
Reverse Rotary Other		ell / Pre-Alteration			
		Completed `			50
(4) PROPOSED USE Domestic Irrigation Commun	-		Flowing Artesian?	-	
Industrial/Commericial Livestock Dewatering		WATER BEARI	-	ater was first found	
Thermal Injection Other		SWL Date	From To Est	t Flow SWL(psi)	+ SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard	(Attach copy)	10/18/2012	152 170	50	50
Depth of Completed Well 170.00 ft.					
BORE HOLE SEAL	sacks/				
DiaFromToMaterialFromTo10019Bentonite019	Amt lbs				
10 0 19 Bentomie 0 19 6 19 170 </td <td>13 5</td> <td></td> <td></td> <td></td> <td></td>	13 5				
			00		
		(11) WELL I	Ground Elevation	n	
How was seal placed: Method A B C D	E		Material	From	To
X Other POUR IN		ASPHALT & T	OPSOIL WN BASALT, MEDIUM	0 2	2 14
Backfill placed from ft. to ft. Material			E BASALT, MEDIUM	14	31
Filter pack from ft. to ft. MaterialSiz			OWN BASALT, HARD	31	66
Explosives used: Yes Type Amount			T, MEDIUM HARD	66	90
(5a) ABANDONMENT USING UNHYDRATED BENTONITE			AY BASALT, MED HARD	90	99
Proposed Amount Actual Amount			EN BASALT, MED HARD	99	121
(6) CASING/LINER		GRAY BASAL	T, CREVISED, W/GREEN	121	152 170
Casing Liner Dia + From To Gauge Stl Pls	stc Wld Thrd		IS, WATERBEARING	152	170
			,		
	Ă\ H				
	$\exists \vdash \vdash \downarrow$				
Shoe Inside Outside Other Location of shoe(s)	19				
Temp casing X Yes Dia 10 From 0 To $\frac{1}{2}$	5				
(7) PERFORATIONS/SCREENS					
Perforations Method SAW					
Screens Type Material		Date Started1	0/17/2012 Com	plete <u>10/18/2012</u>	
	of Tele/	(unbonded) W	ater Well Constructor Certif	ication	
	ots pipe size	````	e work I performed on the co		ng, alteration, or
		abandonment of	of this well is in compliance	e with Oregon wa	ter supply well
			ndards. Materials used and in	formation reported a	above are true to
			nowledge and belief.		
		License Numbe	r <u>1256</u> D	ate 10/24/2012	
(8) WELL TESTS: Minimum testing time is 1 hour		Signed KAR	L F MOORE JR (E-filed)		
Pump Bailer Air Flowin	g Artesian	KAK	ET MOOKE JK (E-med)		
Yield gal/min Drawdown Drill stem/Pump depth Duratio		(bonded) Water	r Well Constructor Certificat	tion	
50 160 1			sibility for the construction, d		
			on this well during the constru- ng this time is in compliance		
			ndards. This report is true to the		
Temperature 65 °F Lab analysis Yes By		License Number	-	-	
Water quality concerns? Yes (describe below) TDS amount From To Description Amou	int Units	License muniber	r <u>731</u> D	ate 10/25/2012	
		Signed CHAI	RLES MOORE (E-filed)		
	I		otional) M-K DRILLING COM	<u>APANY 509-767-</u> 13	42
		× 1	-		

ORIGINAL - WATER RESOURCES DEPARTMENT THIS REPORT MUST BE SUBMITTED TO THE WATER RESOURCES DEPARTMENT WITHIN 30 DAYS OF COMPLETION OF WORK Form Version: