

STATE OF OREGON WATER SUPPLY WELL REPORT

HOOD 51263

WELL I.D. LABEL# L 150040 START CARD # 1060828 ORIGINAL LOG #

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

7/21/2023

(1) LAND OWNER Owner Well I.D. First Name BRAD Last Name FOWLER Company HOOD RIVER CHERRY CO. Address 1321 ALAMEDA RD City HOOD RIVER State OR Zip 97031

(2) TYPE OF WORK [X] New Well [ ] Deepening [ ] Conversion [ ] Alteration (complete 2a & 10) [ ] Abandonment (complete 5a)

(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd Casing: Seal:

(3) DRILL METHOD [X] Rotary Air [ ] Rotary Mud [ ] Cable [ ] Auger [ ] Cable Mud [ ] Reverse Rotary [X] Other UNDER-REAMING

(4) PROPOSED USE [ ] Domestic [X] Irrigation [ ] Community [ ] Industrial/ Commercial [ ] Livestock [ ] Dewatering [ ] Thermal [ ] Injection [ ] Other

(5) BORE HOLE CONSTRUCTION Special Standard [X] (Attach copy) Depth of Completed Well 655.00 ft.

Table with columns: Dia, From, To, Material, From, To, Amt, sacks/lbs. Rows include Concrete, Bentonite Chips.

Seal placement method [ ] A [ ] B [ ] C [X] D [ ] E [X] Other: poured in Backfill placed from ft. to ft. Material Filter pack from ft. to ft. Material Size Explosives used: Type Amount Seal Placement Begin Date 5/26/2023 Begin Time 13:00

(5a) ABANDONMENT USING UNHYDRATED BENTONITE Proposed Amount Actual Amount

(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd Shoe [ ] Inside [ ] Outside [ ] Other Location of shoe(s) Temp casing [ ] Yes Dia From + To

(7) PERFORATIONS/SCREENS Perforations Method Screens Type Material Perf/ Casing/ Screen Screen Liner Dia From To Scrn/slot width Slot length # of slots Tele/ pipe size

(8) WELL TESTS: Minimum testing time is 1 hour [ ] Pump [ ] Bailer [X] Air [ ] Flowing Artesian Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)

(9) LOCATION OF WELL (legal description) County HOOD RIVER Twp 1.00 S N/S Range 10.00 E E/W WM Sec 17 NW 1/4 of the SE 1/4 Tax Lot 1300 Tax Map Number Lot Lat Long Street address of well Nearest address COOPER SPUR RD

(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration Completed Well 7/14/2023 372.5 Flowing Artesian? Dry Hole?

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), + SWL(ft). Rows include dates 6/8/2023, 6/14/2023, 7/7/2023.

(11) WELL LOG Ground Elevation 2303.00 Material From To SILTY CLAY / SCATTERED ANDESITE BOULDER BROKEN ANDESITE LAYERS 3'-4' THICK BROKEN ANDESITE / BOULDERS AND COBBLES ANDESITE, GRAVEL, COBBLES, BOULDERS ANDESITE, GRAVEL, COBBLES SEMI CONSOLIDATED ANDESITE ANDESITE, GRAVEL, COBBLES, BOULDERS FRACTURED ANDESITE MED HARD FRACTURED / BROKEN ANDESITE MED SOFT

Construction Begin Date 5/26/2023 Begin Time 10:00 End Date 7/14/2023

(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. License Number Date Signed

(bonded) Water Well Constructor Certification I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. License Number 1934 Date 7/21/2023 Signed DWAYNE PERSON (E-filed) Contact Info (optional) DWAYNE PERSON

**WATER SUPPLY WELL REPORT - continuation page**

**HOOD 51263**

**WELL I.D. LABEL# L 150040**

**START CARD # 1060828**

**7/21/2023**

**ORIGINAL LOG #**

**(2a) PRE-ALTERATION**

Dia	+	From	To	Gauge	Stl	Plstc	Wld	Thrd
Material		From	To	Amt	sacks/lbs			

**Water Quality Concerns**

From	To	Description	Amount	Units

**(5) BORE HOLE CONSTRUCTION**

**BORE HOLE**

**SEAL**

Dia	From	To	Material	From	To	Amt	sacks/lbs
8	489	655	Cement	143	315	107	S
			Calculated			40	
			Cement	460	489	16	S
			Calculated			8	
			Calculated				
			Calculated				

**(10) STATIC WATER LEVEL**

SWL Date	From	To	Est Flow	SWL(psi)	SWL(ft)

**FILTER PACK**

From	To	Material	Size

**(6) CASING/LINER**

Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd


**(11) WELL LOG**

Material	From	To

**(7) PERFORATIONS/SCREENS**

Perf/Screen	Casing/Screen Dia	From	To	Scrn/slot width	Slot length	# of slots	Tele/pipe size

Name of person(s) who assisted with construction and Trainee License # / Helper #

Assistant Name	Type	#

**(8) WELL TESTS: Minimum testing time is 1 hour**

Yield gal/min	Drawdown	Drill stem/Pump depth	Duration (hr)

**Comments/Remarks**


BASICALLY FROM 155'-355' CAVED BADLY. WE CEMENTED AND REDRILLED MULTIPLE TIMES. USING APPX. 1200 SACKS CEMENT. 0'-19' DUG WITH LARGE EXCAVATOR 16" PIPE CONCRETED IN. USING 30 YARDS BPA CONCRETE MIX. 12" CABLE TOOL STYLE DRIVE SHOE AT 180' AND 10" UNDER REAMING SHOE AT 489'. 11.9" O.D. 8" I.D. HOLE RESTRICTION TO 8" AT 487' SHANE MUZECZENKO, JAKE CAMPBELL, AND CHANCE ABRAMS WERE

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

HOOD 51263

7/21/2023

Map of Hole

<b>STATE OF OREGON WELL LOCATION MAP</b>	<b>Oregon Water Resources Department</b> 725 Summer St NE, Salem OR 97301 (503)986-0900	
This map is supplemental to the WATER SUPPLY WELL REPORT		
<b>LOCATION OF WELL</b>	<b>Well Label: 150040</b>	
Latitude: 45.48068286 Datum: WGS84	<b>Printed: July 21, 2023</b>	
Longitude: -121.57224065	<small>DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.</small>	
Township/Range/Section/Quarter-Quarter Section: WM1.00S10.00E17NWSE	<small>Provided by well constructor</small>	
Address of Well: COOPER SPUR RD		

