WATER WELL REPORT \ CORRECTIVE	D RECEIVED JUL 13 1981 State Well No. 1	365,	1410-	15 dd :
STATE OF OREGON MAY 1 8 1981		wa.Wi.ii.j.		······
WATER RESOURCES	WATER RESOURCES DEPT DEPT State Permit No.			
10802 SALEM. OREGON	SALEM. OREGON			
(1) OWNER:	(10) LOCATION OF WELL:			
Name City of ROGUE RIVER	County JACKSON Driller's well number 43			
Address 133 BROADWAY	5 E 4 SW 4 Section 15 T. 365 R. 4W W.M.			
City ROBUE RIVER State OKE, 97537	Tax Lot # Lot Blk Subdivision			
(2) TYPE OF WORK (check):	Address at well location:			<u> </u>
New Well ★ Deepening □ Reconditioning □ Abandon □				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.			
	Depth at which water was first found /00 ft.			
	Static level 20 ft. below land surface. Date 5/12/8/			
Rotary Air A Driven Domestic Industrial Municipal Rotary Mud Dug Irrigation Test Well Other D	Artesian pressure lbs. per square inch. Date			
Cable Bored	(12) WELL LOG: Diameter of well below casing			
(a CASING INSTALLED: Steel A Plastic	Depth drilled /00 ft. Depth of completed well /00 ft.			
Threaded Welded 7	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry			
	for each change of formation. Report each change in and indicate principal water-bearing strata.	position of	f Static W	ater Level
ft. Gauge			•	
	MATERIAL DIO CARACTERIAL	From	To	SWL
	BROWN CLAY & GRAVEL	10	10	-
(6) PERFORATIONS: Perforated? □ Yes XNo	GORNEL COLPSIE	23	80	20
Type of perforation used Size of perforations in. by in.	GRAVEL COURSE WIB	80	100	<u>~~</u>
perforations from				
perforations from				
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? □ Yes ★ No			,	·
Manufacturer's Name		-		
Type Model No.				-
Diam. Slot Size Set from ft. to ft.				 ,
Diam. Slot Size Set from ft. to ft.				-
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Yes No If yes, by whom?				
y gal./min, with ft. drawdown after hrs.				
20			[<u>[</u>	
Air test / gal./min. with drill stem at 7 ft. hrs. Bailer test gal./min. with ft. drawdown after hrs.				
Artesian flow g.p.m.				
Depth artesian flow encountered ft.	Work started 5/12 1981 Comple		112	198/
(5) CONSTRUCTION: Special standards: Yes No A	Work started O / 2 19 8 Comple Date well drilling machine moved off of well	5/17	1 2	198/
Well seal—Material used CEMEN GROUP	Drilling Machine Operator's Certification:	<u> </u>		
Well sealed from land surface to	This well was constructed under my direct	sunervisi	on Mate	rials used
Diameter of well bore to bottom of sealin.	and information reported aboye are true to my best knowledge and belief.			
Diameter of well bore below sealin.	[Signed] Charles B Pelley (Drilling Machine Operator)	Date	<i>3.1.15</i>	., 19. 8./
Number of sacks of cement used in well seal	Drilling Machine Operator's License No	479	; 	
How was cement grout placed? GROWL YUMP				
	Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to			
Was pump installed?	the best of my knowledge and belief.			
Was a drive shoe used? XYes □ No Plugs Size: locationft.	Name M. C. M. N. H. M. W. E. I. D. R. I. J. M. (Type or print)			
Did any strata contain unusable water? ☐ Yes XNo	(Person, firm or corporation) Address 141. N.E. BEACOMDR. GRAAS PASS, OR. 97526			
Type of Water? depth of strata	1 1/ 1/		,	
Method of sealing strata off	[Signed] Kenj Water Well Contractor's License No. 7.2.7. Date	ctor)	··········	
Was well gravel packed? ☐ Yes No Size of gravel:	Contractor's License No	5//	5	., 19 8./ .
Gravel placed from ft. to ft.				