File Original and First Copy with the

36/4w-16R

STATE ENGINEER, SALEM, OREGON	Gentaria	G 2013 / State Permit No.	
(1) OWNER!	Deniel	(11) WELL TESTS: Drawdown is amount water level lowered below static level  Was a pump test made?   Yes   Drawdown is amount water level lowered below static level  I No If yes, by whom?	is
Name Wy Wight VI	· · · · · · · · · · · · · · · · · · ·	Yield: 130 gal./min. with 63 ft. drawdown after	hrs.
Address Virginia W	A Comment of the Comm	" Bar, min, wear ()	"
	-	2) 2) 2)	**
(2) LOCATION OF WELL:		Bailer test gal./min. with ft. drawdown after	hrs.
$\sim$	umber, if any—	Artesian flow g.p.m. Date	<del></del>
k S.E.14 S.E.14 Section /6 T.	. 36 S R. 4 W W.M.		es K No
Bearing and distance from section or subdivis	sion corner	Temperature of water Was a chemical analysis made?	
25' S and 16	E From the	(12) WELL LOG: Diameter of well	inches.
NW comer of Lot	16 /2lock 2	Depth drilled 96 ft. Depth of completed well 97	7-6" ft.
Rosalind, addition		Formation: Describe by color, character, size of material and stru show thickness of aquifers and the kind and nature of the material and the kind and nature of the material and the kind and nature for each charge of	cture, and
		show thickness of aquifers and the kind and nature of the materi stratum penetrated, with at least one entry for each change of	formation.
		MATERIAL FROM	TO
		7.6	13
(3) TYPE OF WORK (check):	_	(1) Jack	18
	nditioning	Clay Bullet	37
Is pandonment, describe material and proces	aure in item 11.	10 37	55
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	Munua vianes 55	67
	Rotary Driven	grant grant 12	74
Domestic	Cable 🕅 Jetted. 🗆	Wall & Bland of The	87
Irrigation ☐ Test Well ☐ Other ☐	Dug 🗍 Bored 🗎	W. D. Went	96
(6) CASING INSTALLED:	hreaded Welded , ,	- pur yercie	1
(6) CASHO HISTIAN			
8 " Diam. from	96 ft Gage /4/4		
Diam. from ft. to			
(7) PERFORATIONS: // P	Perforated? Yes No		
Type of perforator used Turk!			
SIZE of perforations 2/16 in. by			
1-/ Law your grand and a second	5 ft. to 96 ft.		
	ft. to ft.		
	ft. to ft.		
	ft. to ft.		
perforations from	ft. to ft.		
(0) SCIPENC. Well server	n installed 🔲 Yes 🕍 No		
(5)			
Manufacturer's Name	. Model No		
Type Slot size Set from			
Diam. Slot size Set from Set f		Work started May 15 1961. Completed with	7 196
Diam Slot size Set from			
(9) CONSTRUCTION:		(13) PUMP: \( \sqrt{1} \)	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:		Manufacturer's Name Tausantes Moral	
Gravel placed from ft. to ft.		Type: Yurberu H.P.	5
Was a surface seal provided? Wes No	To what depth?35 ft.		
Material used in seal— Control	1	Well Driller's Statement:	
Did any strata contain unusable water?	Yes No	This well was drilled under my jurisdiction and this	s report
	of strata	true to the best of my knowledge and belief.	
Method of sealing strata off		NAME INT PAGUIA & JOH	
		(Person, firm of corporation) (Type or pr	cint)
(10) WATER LEVELS:		Address 28 80 to Pull Va	
	and surface Date July 16 6	. 19	
Artesian pressure lbs. per s	square inch Date	Driller's well number	
Log Accorded by:	Toque Twee	[Signed] If I Saguer	
Log Accepted by: Olly	1 1111	[Signed] (Well Driller)	
[Signed] Usa Jeun Miles	le 6/16 , 19.6.	License No. 275 Date June 13	
(Owner)		()	-
recorder	(USE ADDITIONAL	SHEETS IF NECESSARY)	