RECEIVED

WATER WELL REPORT STATE OF OREGON

NOV 141980

Jack WATER RESOURCES DEPT SALEM. OREGON

	マイスラブル	4-21 🗂
State Well No.	365 4w	MICA
20000 110111101	***********	the training and the second

State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:	,	-
Name BEnny Purus	County JACKSON 218 36 Driller's well	l number	
Address 8110 ROGUE RIVER HWY	NE 4 5W 4 Section 2 LBT. 36	R. 4W	W.M.
City ROQUE RIVER State ORE. 97537	Tax Lot # 2200 Lot Blk	Subdivision	-
(2) TYPE OF WORK (check):	Address at well location: ROQUE RIVER	Hwy	··
New Well Deepening □ Reconditioning □ Abandon □			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.	
	Depth at which water was first found 33		ft.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 15 ft. below l	and surface. Date ///	14/80
y Air 🕅 Driven 🗆 Domestic 💢 Industrial 🗆 Municipal 🗆	Artesian pressure lbs. pe	er square inch. Date	
Trigation Test Well Other Dug Thermal: Withdrawal Reinjection	(12) WELL LOG: Diameter of well below	casing 6	
(5) CASING INSTALLED: Steel Plastic	Depth drilled (()) ft. Depth of completed well (()) ft.		
Threaded Welded	Formation: Describe color, texture, grain size and structure of materials; and show		
Diam. from ft. to	thickness and nature of each stratum and aquifer pene for each change of formation. Report each change in	trated, with at least on position of Static Water	ie entry er Level
	and indicate principal water-bearing strata.	F	2 20101
LINER INSTALLED:	MATERIAL	From To S	SWL
	Brown Clay	0 10	
	BROWN ShALE	10 15	
(6) PERFORATIONS: Perforated? ☐ Yes (X)No Type of perforator used	BIACK Shalf		15
Size of perforations in. by in.	CEMENTED GRADE	22 60	
perforations fromft. toft.			
perforations from ft. to ft.			
perforations from ft. to ft.			
aarena \-			
7) SCREENS: Well screen installed? Yes No Manufacturer's Name			
Type Model No.			
Diam. Slot Size Set from ft. to ft.		 	
Diam. Set from ft. to ft.	RECEIVED	 	
Drawdown is amount water level is lowered			
below static level	JAN 16 1981		
s a pump test made? Yes Yes You If yes, by whom?	WATER RESOURCES DEPT		
Yield: gal./min. with ft. drawdown after hrs.			
	SALZM, OREGON		
Air test 20 gal/min. with drill stem at 37 ft. hrs.			
ler test gal./min. with ft. drawdown after hrs.			
A tesian flow g.p.m. Temperature of water Depth artesian flow encountered ft.		<u> </u>	
	Work started 11 4 19 70 Complete	a 11/5	1980
9) CONSTRUCTION: Special standards: Yes \(\text{No } \text{ No }	Date well drilling machine moved off of well	_11.1.5	1987
Well seal—Material used	Drilling Machine Operator's Certification:		
10	This well was constructed under my direct s		
Diameter of well bore to bottom of sealin. Diameter of well bore below sealin.	and information reported by we are true to my h	Date 1	
Number of sacks of cement used in well seal 4	(Drilling Machine Operator)	020	.s. y.c.
How was cement grout placed? GROW Pump	Drilling Machine Operator's License No	50 J	
	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction	and this report is	true to
Vas pump installed? $\mathcal{N}\mathcal{O}$ TypeHPDepthft.	the best of my knowledge and belief.	11100	
Was a drive shoe used? XYes □ No Plugs Size: location ft.	Name MCCIANAHAII WEII DRI	(Type or prin	nt)
Did any strata contain unusable water? Yes No	Address 141, N. E. BEACON DR.GRAN	15 PASS, OR. 97	526
Type of Water? depth of strata	[Signed] Kunzland	,	
Method of sealing strata off	(Water Well Contract	tor)	 د میسر
Was well gravel packed? ☐ Yes XNo Size of gravel:	Contractor's License No	. <i>[</i> ,],]	19.Y.C
Gravel placed from			-