NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the, in the state of oregon 1282 State Well No. 3/6 C STATE ENCINEER SALEM OF THE STATE OF OREGON 1282 State Well No. 3/6/4/1/-3/6				
within 30 days from the date AUG2 5 1969 (Do not write above this line) State Bermit No.				
of well completion. GTATE ENGINEER				
(1) OWNER: SALEM. OREGON Name David Reed	(11) LOCATION OF WELL:			
	County Jackson. Driller's well number -19-			
Address 772-Savage Creek Rd, Grants Pass, C	regon. ¹⁴ . ¹ / ₄ Section 30 T. 365 R. 4-West W.M.			
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner			
New Well 🔏 Deepening 🗌 Reconditioning 🗌 Abandon 🗌	Volume 224, Page 232			
<u></u>				
(3) TYPE OF WELL: (4) PROPOSED USE (check): Rotary Driven D	(12) WELL LOG: Diameter of well below casing6 ¹¹			
Cable X Jetted Domestic X Industrial Municipal	Depth drilled 108' ft. Depth of completed well 108' ft.			
Bored [] Irrigation [] Test Well [] Other []	Formation: Describe color, texture, grain size and structure of materials;			
(5) CASING INSTALLED: Threaded □ Welded & 6-2 " Diam. from 0 ft. to 100'-6", Gage .250	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.			
" Diam, from ft. to ft. Gage	MATERIAL	From	То	SWL
PERFORATIONS: Perforated? VesVer No.	Small Gravel & Some Sand Course Gravel & Some Sand	0	2	
Type of perforator used	Small Boulders.	2	12	
	90%-Red Clay & Some Sand		60	
Size of perforations in. by in.	95%-Yellow Clay With very			
perforations from ft. to ft. perforations from ft. to ft.	little sand.	60 1	00	
	Some Medium Gravel To			
perforations from	Small Gravel & Sand With	100	700	601
	Some Yellow Clay.	100	108	60'
(7) SCREENS: Well screen installed? Yes X No Manufacturer's Name Type				
Diam				···
Diam Slot size Set from ft. to ft.				
(8) WATER LEVEL: Completed well.				
tic level 60' ft. below land surface Date 7-8-69				· · · · · ·
Artesian pressure lbs. per square inch Date				
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? 🗌 Yes 🎽 No If yes, by whom?				
d: gal./min. with ft. drawdown after hrs.	Work started 8-7-69 19 Complete	ed 8 -8	-69	19
" " "	Date well drilling machine moved off of well	3 -8- 69)	19
", " " "	Drilling Machine Operator's Certification:			
Bailer test 20 gal./min. with 85' ft. drawdown after 1 hrs.	This well was constructed under my direct supervision. Mate- rials used and information reported above are true to my best			
Artesian flow g.p.m. Date	knowledge and belief.			
Temperature of water 54 Was a chemical analysis made? 🗆 Yes 🗶 No	[Signed Marchine Operator)			
(10) CONSTRUCTION: 1/4"-X-12"-Steel Groute Sand & Cement.	Plate, Drilling Machine Operator's License No. <u>-98-</u>			
Well seal-Material used 28 10 00 ment to Depth of seal	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off? 🖸 Yes 🏹 No Depth	true to the best of my knowledge and belief.			
Was a drive shoe used? 🔏 Yes 🗌 No	NAMELes-Shanahan-Water-Well-Drilling-Co.			
Did any strata contain unusable water? 🗆 Yes 🗶 No				
Type of water? depth of strata	Address 868-N-E-"A"-St, Grants Pass, Oregon			
Method of sealing strata off	and an Shana have Is			
Was well gravel packed? Yes XNo Size of gravel:	[Signed] (Water Well Contractor)			
	Contractor's License No81- Date 8-8-69 19			
Gravel placed from ft. to ft.	Contractor's License No Date Date 19, 19			

(USE ADDITIONAL SHEETS IF NECESSARY)