NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date

Was well gravel packed? ☐ Yes ☐ No Size of gravel: ...... Gravel placed from ...... ft. to ...... ft.

STATE OF OREGON

(Please type or print) State Permit No. ..... (Do not write above this line) of well completion. (1) OWNER: (10) LOCATION OF WELL: Tom Stephens County Jackson Driller's well number Name 3175 Rogue River Hwy 35 T. 36s R. Address Rogue River . OR Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Tax Lot 2100 New Well 🖳 Deepening [ Reconditioning [ Abandon 🔲 If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary \*\*X Driven Domestic XX Industrial | Municipal | Static level ft. below land surface. Date Jetted [ Bored [ Irrigation | Test Well | Other Artesian pressure lbs. per square inch. Date (5) CASING INSTALLED: 

 ALLED:
 Threaded □
 Welded □
 Xx

 0
 40
 ft.
 Gage 250

 0
 ft. to 66
 ft.
 Gage plastic

 (12) WELL LOG: Diameter of well below casing ... Depth drilled 70 ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; ." Diam. from ..... ft. to ..... ft. Gage ..... and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? ₹ Yes □ No. Knife Type of perforator used MATERIAL From SWT. Clay, brown, and Gravel Size of perforations in. by 4 0 6 60 perforations from 56 ft. to 66 Basalt, grey, hard <u>19</u> Gravel, cemented, Rome, Clay, perforations from the fit to the 19 70 20 Water bearing (7) SCREENS: Well screen installed? ☐ Yes 🖼 No Manufacturer's Name ..... Diam. Slot size Set from Diam, ...... Slot size ...... Set from ..... ft. to .... ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: SFP 25 1979 a pump test made? Yes x No If yes, by whom? WATER RESOURCES DEPT gal./min. with ft. drawdown after hrs. SALEM, OREGON gal./min. with 22 ft. drawdown after test esian flow g.p.m. mperature of water 53 Depth artesian flow encountered ..... ft. 9/11 19 79 Completed Work started Date well drilling machine moved off of well 9/12 1979 (9) CONSTRUCTION: Well seal-Material used Cement grout **Drilling Machine Operator's Certification:** This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief Well sealed from land surface to ... Diameter of well bore to bottom of seal \_\_\_\_\_in. Diameter of well bore below seal ......... (Drilling Machine Drilling Machine Operator's License No. 1342 How was cement grout placed? ...... grout pump and drop pipe Water Well Contractor's Certification: This well was drilled under ny jurisdiction and this report is true to the best of my knowled and belief.

Name Manager Drilling (Person, firm or corporation) (Type or print) Was a drive shoe used? Tyes [] No Plugs ....... Size: location ....... ft. Did any strata contain unusable water? 

Yes 
No Address 141 NE Beacon Dirve, Grants Pass, OR Type of water? depth of strata Method of sealing strata off

(Water Well Contractor)

Contractor's License No. 727 Date Sept. 17 , 19 79