NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

\	SALEM OREGON =
(1) OWNER: , , , , ()	(10) LOCATION OF WELL:
Name Wally Javanu	County Driller's well number
Address 4/17 Parme (Co, medless) Que	NW 450 4 Section 9 T. 3 /S R. DW W.M.
7777 100 100 7 100 7 100 7	Bearing and distance from section or subdivision corner
(2) TYPE OF WORK (check):	Bearing and distance from section of subdivision corner
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	
	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 58 ft.
Rotary Driven Domestic Industrial Municipal	Static level //2 ft. below land surface. Date / -/3
Cable	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
6 "Diam. from ft. to ft. Gage of 50	Depth drilled 306 ft. Depth of completed well 306 ft.
ft. Gage ft. Gage	
ft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
	with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Soft Brown Clay 0 4
perforations from ft. to ft.	
ft. to ft.	Machine Greg Growte 4 12
perforations fromft. toft.	
(#) CODDITION A	Competone Siente 12 281
(7) SCREENS: Well screen installed? ☐ Yes I No	7 1 01
Manufacturer's Name	Practured Computine 381 289
Type Model No.	Water Bearing
Diam. Slot size Set from ft. to ft.	tombetone Structe 284 306
Diam Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " "	
"" " " "	
test 0/2 gal./min. with 12ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started / - /6 1973 Completed / - /8 1973
(9) CONSTRUCTION:	Date well drilling machine moved off of well /_/ 1973
100MONX	Drilling Machine Operator's Certification:
Well seal—Material used	This well was constructed under my direct supervision.
Well sealed from land surface toft.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore to bottom of seal in.	
Diameter of well bore below sealin.	[Signed] Date 1970
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 674
Number of sacks of bentonite used in well seal sacks	
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
of water lbs./100 gals.	true to the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name to II) Clanshun Noll Onlling
Did any strata contain unusable water? Tyes 7 No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address Spr-C-Cilla VI. Hort Van
Method of sealing strata off	Signed Dollar MC Comma VI
Was well gravel packed? Yes No Size of gravel:	(Water Well Contractor)
Gravel placed fromft. toft.	Contractor's License No. 433 Date
(IISE ADDITIONAL ST	, 10%