NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this proof.

WATER WELL REPORT

WATER RESOURCES DEPARTMENT, AN 1919

SALEM, OREGON 97310

within 30 days from the date of well completion.

RESOURCES

RESOURCES Not write above this line) ARTMENT AN 1979 STATE OF OREGON date RESOURCES (Flease type or print)

WATER RESOURCES (Please type or print)

WATER RESOURCES (Please type or print)

<act></act>	State Well No. 375/2W-299	ارد
2 60	Julie Well 140. Mindamily Max.	4
132	State Permit No.	

(1) OWNER:	(10) LOCATION OF WELL:			
Name A. F. Dressler	County Jackson Driller's well n	umber #	<u></u> {3	-
Address 4028 Livingston Rd.	SE 14 NE 14 Section 29 T. 37S	R. 2W		W.M.
Medford, Ore.	Bearing and distance from section or subdivisi		r	******
(2) TYPE OF WORK (check):	A	ton conne	·	
New Well 🖺 Deepening 🗌 Reconditioning 🗋 Abandon 🗀	Tax lot 1701 Permit-769-78W			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	اامر		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 90	CII.		
Rotary K Driven Domestic K Industrial K Municipal C			1/	<u>ft.</u> '6/79
Cable ☐ Jetted ☐ Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐				6/79
	Artesian pressure lbs. per square	re inch.	Date	
CASING INSTALLED: Threaded □ WeldedX□	(12) WELL LOG: Diameter of well	helow oce	ina	6
6 "Diam. from 0 ft. to 20 ft. Gage 250	Depth drilled 325 ft. Depth of completed well 325 ft.			
ft. to ft. Gage	Formation: Describe color, texture, grain size			
ft. Gage	and show thickness and nature of each stratu	m and a	guifer ne	enetrated
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of forma position of Static Water Level and indicate prir	tion. Repo icipal wat	rt each (er-beari	change in
Type of perforator used	MATERIAL	1		
Size of perforations in. by in.	Soilbrown	From	To	SWL
perforations from	Claybrown	6	- 6	<u> </u>
perforations fromft. toft.	Conglomerate-gray	10	10 140	
perforations from	Basalt-gray	140	325	
		1.10	ر پیر	
(7) SCREENS: Well screen installed? ☐ Yes ☒ No				
Manufacturer's Name				
Type Model No.				
Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.				
Didnit				
(8) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Yes No If yes, by whom?				
77'-13'. At 3mm 3 At	,			
yeld: gai./min. with it. drawdown after hrs.				
AIR				
Artesian flow g.p.m.				
nperature of water Depth artesian flow encountered ft.	Work started 1/5 19 79 Complete	d 1/6		1979
(9) CONSTRUCTION:	Date well drilling machine moved off of well	1/6		1979
Well seal—Material used	Drilling Machine Operator's Certification:		**	
Well sealed from land surface to = 19 ft.	This well was constructed under my	direct	super	vision.
Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and belief.	above a	re true	to my
Diameter of well bore below seal in.	[Signed] La William	Date 1/	9	79
Number of sacks of cement used in well seal sacks	(Brilling Machine Operator)	1.0-		, 49.4.2.
How was cement grout placed? pressure grout	Drilling Machine Operator's License No	483		
	Water Well Contractor's Certification:			
Y	This well was drilled under my jurisdic true to the best of my knowledge and beli	cuon and ef.	this re	port is
Was a drive shoe used? Yes No Plugs Size: locationft.	NameVirgle Gribble Well Drilling			
Did any strata contain unusable water? **S T No	(Person, firm or corporation)	(Typ	e or prin	t)
Type of water? depth dstrata	Address 8380 Ramsey Rd., Gold Hi	<u>11, 0</u> 1	ce.	
Method of sealing strata off	[Signed] Millson			
Was well gravel packed? Yes No Size of gravel:	(Water Well Contra	ctor)	**********	***************************************
Gravel placed from ft_to ft.	Contractor's License No. 705 Date 1/	<u> </u>	******************************	, 1979.
= (USE ADDITIONAL SH	PETC IF NECECCADAY			