

The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

SEP 18 1975

(Do not write above this line)

JACK 13727

State Well No. 375/2w-33

State Permit No.

WATER RESOURCES DEPT.

(1) OWNER: SALEM, OREGON

Name Western Carriage Estates Address 3955 Stage rd. S Madras Ore

(2) TYPE OF WORK (check): New Well [] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL: (4) PROPOSED USE (check):

Rotary [x] Driven [] Cable [] Jetted [] Dug [] Bored [] Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED: Threaded [] Welded [x]

6" Diam. from 0 ft. to 97 ft. Gage 250

PERFORATIONS: Perforated? [] Yes [x] No

Table with columns: Size of perforations, in. by, in., ft. to, ft.

(7) SCREENS: Well screen installed? [] Yes [x] No

Manufacturer's Name, Type, Model No., Diam., Slot size, Set from, ft. to, ft.

(8) WELL TESTS: Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [x] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs.

(9) CONSTRUCTION: Well seal—Material used cement grout

Well sealed from land surface to 95 ft. Diameter of well bore to bottom of seal 10 in. Diameter of well bore below seal 6 in. Number of sacks of cement used in well seal 24 sacks. Number of sacks of bentonite used in well seal. Brand name of bentonite. Number of pounds of bentonite per 100 gallons of water. Was a drive shoe used? [x] Yes [] No. Did any strata contain unusable water? [] Yes [x] No. Type of water? depth of strata. Method of sealing strata off. Was well gravel packed? [] Yes [x] No. Size of gravel: Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Jackson Driller's well number SE 1/4 SE 1/4 Section 33 T.37s R. 2w W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 110 ft. Static level 60 ft. below land surface. Date 9/12/75 Artesian pressure lbs. per square inch. Date

(12) WELL LOG: Diameter of well below casing 6

Depth drilled 340 ft. Depth of completed well 340 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Entries: Brown clay (0-85), Shale, hard, grey (85-125), Shale, hard, grey, with (125-340) 60

Work started 9/9 1975 Completed 9/12 1975 Date well drilling machine moved off of well 9/12 1975

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] Robert Eason Date 9/12 1975 (Drilling Machine Operator) Drilling Machine Operator's License No. 605

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name Geo M. Clonahan Well Drilling (Person, firm or corporation) (Type of print) Address 141 McLearn rd. Grants Pass, Or [Signed] Geo M. Clonahan (Water Well Contractor) Contractor's License No. 422 Date 9/15 1975