

WATER WELL REPORT

STATE OF OREGON
(Please type or print)

State Well No. 37S/4W-3000

State Permit No. S-8207

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

NC
JACK
14409

RECEIVED
MAY 16 1978

(Do not write above this line)

SALEM, OREGON
(10) LOCATION OF WELL:

(1) OWNER:

Name Doug Trenery
Address c/o 950 Kubli Road
Grants Pass, OR 97526

County Jackson Driller's well number 383
SE ¼ SW ¼ Section 30 T. 37 R. 4w W.M.
Bearing and distance from section or subdivision corner
Tax Lot 303

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
6 " Diam. from 0 ft. to 75 ft. Gage .250
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used

Size of perforations	in. by	in.
..... perforations from ft. to ft.
..... perforations from ft. to ft.
..... perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name

Type	Model No.
.....
.....

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " " " "
" " " " " " "
Air
Baker test 60 gal./min. with 80 ft. drawdown after 1 hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used Cement Grout
Well sealed from land surface to 65 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 15 sacks
How was cement grout placed? Grout pump and drop pipe.

Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth strata
Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) WATER LEVEL: Completed well.

Depth at which water was first found 82 ft.
Static level 4 ft. below land surface. Date 5/10/78
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 90 ft. Depth of completed well 90 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay, brown	0	9	
Granite, brown & Clay, brown	9	33	
Granite, brown hard impervious w/ Clay, seams	33	70	
Granite, hard brown	70	90	4

Work started 5/10 1978 Completed 5/10 1978
Date well drilling machine moved off of well 5/10 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Robert A. ... Date 5/11, 1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 809

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name McGlanahan Well Drilling
(Person, firm or corporation) (Type or print)
Address 141 NE Beacon Drive Grants Pass, OR
[Signed] George S. McGlanahan
(Water Well Contractor)

Contractor's License No. 422 Date May 11, 78