NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

within 30 days from the date

WATER RESOURCES DEPARTMENT E C E STATE OF OREGON SALEM, OREGON 97310

MCK		·				
JACK 14447	State W	ell No. 📞	375/	14w	<u>-3</u> 2	ì
	State Pe	rmit No.				-

13

125

85

6/20

Contractor's License No. 675 Date JUNE 24, 19 80

JUL 18 1880t write above this line) of well completion. WATER RESOURCES DEPT (10) LOCATION OF WELL: (1) OWNER: SALEM, OREGON JOHN ATKINS County JACKSON Name Driller's well number Address 555 SLAGEL CRK RD SE 4NE 4 Section 32 T. 37 R. GRANTS PASS. OREGON Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): TAX LOT 300 New Well ☒X Deepening □ Reconditioning [ Abandon □ If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found ft. below land surface. Date 6/20/ Rotary XX Driven [ Static level Domestic | Industrial | Municipal | Jetted 🗍 Irrigation X Test Well Other Bored | lbs. per square inch. Date Artesian pressure CASING INSTALLED: (12) WELL LOG: Diameter of well below casing 6 "Diam from 0 ft. to 73 ft. Gage • 2 Depth drilled 125 ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; " Diam, from \_\_\_\_\_ ft. to \_\_\_\_ ft. Gage \_\_\_ and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata, & PERFORATIONS: Perforated? Tyes XXNo. Type of perforator used CLAY & GRAVEL/BROWN in. by Size of perforations perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. CLAY & GRAVEL/BLUE perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. perforations from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. CLAY & GRAVEL/BROWN (7) SCREENS: Well screen installed? [] Yes XXNo SAND & GRAVELS Manufacturer's Name ..... BEDROCK (BASALT) Diam. Slot size Set from ft. to ft. FRACTURED Diam. Slot size Set from ft. to ft. BEDROCK. HARD. Drawdown is amount water level is lowered below static level (8) WELL TESTS: as a punny test made? XXYes  $\square$  No If yes, by whom 2DRILLERgal./min. with ft. drawdown after 1 gal./min. with ft. drawdown after Bailer test g.p.m. 🏯 19 80 Completed apperature of water 48 Depth artesian flow encountered \_\_\_\_\_ ft. Work started Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal-Material used CEMENT Drilling Machine Operator's Certification: Well sealed from land surface to ...... Diameter of well bore to bottom of seal 10 in. Diameter of well bore below seal 6 (Drilling Machine Operator) Number of sacks of cement used in well seal \_sacks Drilling Machine Operator's License No. .... How was cement grout placed? PUMPED Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used?XX Yes \( \subseteq \text{No Plugs} \)...... Size: location ....... ft. Name PAQUIN DRILLING INC (Type or print) Did any strata contain unusable water? Yes X No Type of water? Method of sealing strata off [Signed] Was well gravel packed? 

Yes XXNo