NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date

WATER WELL REPORT ECEIVED
STATE OF OREGON FEB241979 tate Well No. 375/4W 32Ca STATE OF OREGON

of well completion.

(Please type or print) (ATER RESOURCEState Permit No. ..

	SALEM, ONEGON
1) OWNER:	(10) LOCATION OF WELL:
Tame Peter Brunner	County Cack Son Driller's well number
address 11025/09/eerk rdi	NE 45W 4 Section 32 T.S. 75 R. 4t. 1 W.M.
grants ross, ORE	Bearing and distance from section or subdivision corner
2) TYPE OF WORK (check):	Bearing and distance from section of subdivision corner
New Well Deepening Reconditioning Abandon	
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 65 ft.
Rotary Driven Domestic Industrial Municipal	Static level 15 ft. below land surface. Date 2-19.77
Cable	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded Welded Threaded District Gage 1250.	(12) WELL LOG: Diameter of well below casing
"Diam. fromft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Brown day, 050
perforations from ft. to ft.	Granite, med hard 50/00/15
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name	200000000000000000000000000000000000000
Type Model No	
Diam Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
d: gal./min. with ft. drawdown after hrs.	
" " "	
H H H	
gal./min. with 40st. drawdown after / hrs.	2 M
Artesian flow g.p.m.	AE .
perature of water Depth artesian flow encountered ft.	Work started 2-19 19) Completed 2-19 19)
(9) CONSTRUCTION:	Date well drilling machine moved off of well 2-/9 17
Well seal—Material used Cemout Grout	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of seal in.	best knowledge and belief
Diameter of well bore below sealin.	[Signed] (Drilling Machine Operator) Date 19
Number of sacks of cement used in well seal	Drilling Machine Operator's License No. 695
How was cement grout placed? All the Good	
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? Yes \(\text{No Plugs} \) No Plugs Size: location ft.	Name MC/amahan Well Drilling
Did any strata contain unusable water? I ks No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 4 HE Beacon Grants Pass ONE
Method of sealing strata off	[Signed] Mally Munker
Was well gravel packed? Yes No. Size of gravel:	(Water Well Contractor)
Gravel placed fromft_toft,	Contractor's License No. Date 2-21, 19