THE WEIL No. 385/1W-34 State Permit No. ...

SALEM, OREGON	
1) OWNEŔ:	(10) LOCATION OF WELL:
· •	County Jackson Driller's well number
Address 1874 Rossanley Brive,	14 14 Section 34 T. 38 R. JW W.M.
Medford, Oregon	Bearing and distance from section or subdivision corner
2) TYPE OF WORK (check):	
New Well	
f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
	Depth at which water was first found 30 ft.
	7 9/12/75
Rotary X Driven Domestic X Industrial Municipal Domestic X	
Dug □ Bored □ Irrigation □ Test Well □ Other □	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded   Welded \( \omega \)	(12) WELL LOG: Depth drilled 105  Diameter of well below casing 6  ft. Depth of completed well 105  ft.
" Diam. fromft. toft. Gage	Depth drined 16. Depth of compacts
"Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
Diam. Ironi	with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated?  Yes XNo.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Soilbrown 0 6
perforations from ft. to ft.	Claybrown 6 19
perforations from ft. to ft.	Shattered Rockbrown 19 22
perforations from ft. to ft.	Basaltblack 22 41
· An T	Granitegray 41 105
(7) SCREENS: Well screen installed? ☐ Yes 🔀 No	
Manufacturer's Name Model No	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Tyes XNo If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " "	
ATR "	
Bailer test 60 gal./min. with 70ft. drawdown after 71hrs.	
Artesian flow g.p.m.	
reperature of water Depth artesian flow encountered ft.	Work started 9/12 1975 Completed 9/12 1975  Deta well drilling machine moved off of well 9/12 1975
(9) CONSTRUCTION:	Date well drilling machine moved off of well 9/12 1917
Well seal—Material usedCement	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision.  Materials used and information reported above are true to my
Diameter of well bore to bottom of seal	best knowledge and belief.
Diameter of well bore below seal	[Signed] Date 9/15, 19
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No
Number of sacks of bentonite used in well seal sacks	Diffing Machine Operators 220001
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? The Yes No Plugs Size: location ft.	Name Virgle Gribble Well Drilling
Did any strata contain unusable water? 🗌 Yes 🍒 No	
Type of water? depth of strata	Address 8380 Ramsey Rd., Gold Hill, Ore.
Method of sealing strata off	[Signed] Wayne Mulbourths
Was well gravel packed?   Yes X No Size of gravel:	(Water Well Contractor)  Contractor's License No. 461 Date 9/15 19.75
Gravel placed from ft. to ft.	Contractor's License No. 201 Date 9/15 , 19