WELL REPORT TE OF OREGON

Jack 16202

State Well No.	385	pw-	7da
	1		

1	•
State Permit No.	***************************************

(1) OWNER:	(10) LOCATION OF WELL:		
Name Patricia Maddox	County Jackson Driller's well number 432-0		
Address 280 Poorman Cr. Rd	NE 4 SE 4 Section 7 T. 38S R. 2W W.M.		
City Jacksonville State Or	Tax Lot # 107 Lot Blk Subdivision		
(2) TYPE OF WORK (check):	Address at well location:		
	STERLIAG CK+ YODEMANS CK		
New Well Deepening □ Reconditioning □ Abandon □ If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
	Depth at which water was first found 35 ft.		
(3) TYPE/OF WELL: (4) PROPOSED USE (check):	Static level 35 ft. below land surface. Date 13-80		
Air Driven Domestic W Industrial Municipal Driven D	Artesian pressure lbs. per square inch. Date		
Rocky Mud	(12) WELL LOG: Diameter of well below casing		
	Depth drilled 180 ft. Depth of completed well 180 ft.		
(5) CASING INSTALLED: Steel Plastic Welded Plastic Welded	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level		
"Diam from 1 ft. to 36 ft. Gauge 250			
"Diam. from	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL From To SWL		
i	3000		
	MAY GRAVEL BROWN 1 8		
(6) PERFORATIONS: Perforated? □ Yes No	CLAY BROWN 8 32		
Type of perforator used	C. AM BASAIT, BROWN 32 38		
Size of perforations in. by in.	BOSET WOLEN BO. m. 38 65 22		
perforations from	BASALT BLUE 65 110		
perforations from	1958 BRAGUE 110 121 22		
perforations fromft/toft.	BASAIT BLUE 121 192		
(7) SCREENS: Well screen installed? Yes P No	FASAT BROVEN BLUE 142 153 22		
Manufacturer's Name	BASAG BLUE 153 180		
Type	300		
Diam. Slot Size Set from ft. to ft.			
Diam. Slot Size Set from ft. to ft.			
Drawdown is amount water level is lowered	PECFINED		
WELL TESTS: below static level	RECEIVED		
Was a pump test made? ☐ Yes No If yes, by whom?			
Yield: gal./min. with ft. drawdown after hrs.	SEP & 1300		
<u>"</u> " "	WATER RESOURCES DEPT		
Air test gal/min. with drill stem at 80 ft. hrs.	SALEM, OREGON		
er test gal./min. with ft. drawdown after hrs.			
Art an flow g.p.m.			
Temperature of water Depth artesian flow encountered ft.	Work started 9-13 1980 Completed 9-13 1980		
(9) CONSTRUCTION: Special standards: Yes No	Date well drilling machine moved off of well Q-13 1980		
Well seal—Material used	Drilling Machine Operator's Certification:		
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used		
Diameter of well bore to bottom of seal	and information reported above are true to my best knowledge and helief.		
Diameter of well bore below sealin.	[Signed] Drilling Michine Operator)		
Number of sacks of cement used in well seal	Drilling Machine Operator's License No		
Howwas cement grout placed? RESSURE Show			
Su motted and	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction and this report is true to		
Was pump installed?	the best of my knowledge and belief.		
Was a drive shoe used? Ves No Plugs Size: location ft.	Name (Person, firm or corporation)		
Did any strata contain unusable water? Yes No	Address 2671		
Type of Water? depth of strata	[Signed] ERR 12 R 97502		
Method of sealing strata off	[Signed] (Water Well Contractor)		
Was well gravel packed? ☐ Yes ☐ Yes ☐ Size of gravel:	Contractor's License No		
Gravel placed from ft. to ft.			