## NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT CEIVED STATE OF OREGON (Please type)

1975 State Well No. 385/2w-32

| (Do not write above thi | S INJATE | ENGINEER State | Permit | No. |  |
|-------------------------|----------|----------------|--------|-----|--|
|                         | SALEM    | OREGON         |        |     |  |

|  | •  |  |  |  |  |
|--|--|--|--|--|--|
| (1) OWNER:   | (10) LOCATION OF WELL:   |  |  |  |  |
| NamGary DeGarmo  | County Jackson Driller's well number   |  |  |  |  |
| Address 24388 Thorn Oak Drive,   | 14 14 Section 32 T. 38 R. 2W W.M.  |  |  |  |  |
| Medford, Oregon  | Bearing and distance from section or subdivision corner  |  |  |  |  |
| (2) TYPE OF WORK (check):  |  |  |  |  |  |
| New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐  |  |  |  |  |  |
| If abandonment, describe material and procedure in Item 12.  | (11) WATER LEVEL: Completed well.  |  |  |  |  |
| (3) TYPE OF WELL: (4) PROPOSED USE (check):  | Depth at which water was first found 56 ft.  |  |  |  |  |
| Rotary Driven Domestic Tundustrial Municipal   | Static level 1 ft. below land surface. Date 6/3/75   |  |  |  |  |
| Cable  Jetted  |  |  |  |  |  |
| Dug  | Artesian pressure lbs. per square incn. Date   |  |  |  |  |
| CASING INSTALLED: Threaded \( \square\) Welded \( \frac{1}{2} \) Miam. from \( \square\) ft. to \( \square\) 1. Gage \( \frac{280}{280} \) | (12) WELL LOG: Diameter of well below casing 6   |  |  |  |  |
| " Diam. from ft. to ft. Gage   | Depth drilled 145 ft. Depth of completed well 145 ft.  |  |  |  |  |
| " Diam. fromft. toft. Gage   | Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,   |  |  |  |  |
| Diam. fromtt. Cage   | with at least one entry for each change of formation. Report each change in  |  |  |  |  |
| PERFORATIONS: Perforated?   Yes No.  | position of Static Water Level and indicate principal water-bearing strata.  |  |  |  |  |
| Type of perforator used  | MATERIAL From To SWL   |  |  |  |  |
| Size of perforations in. by in.  | Soilbrown 0 14   |  |  |  |  |
| perforations from ft. to ft.   | Claystonegray 14 18  |  |  |  |  |
| perforations from ft. to ft.   | Conglomerateblack 18 29  |  |  |  |  |
| perforations from ft. to ft.   | gray 29 120  |  |  |  |  |
| periorations from  | " black 120 145  |  |  |  |  |
| (7) SCREENS: Well screen installed? ☐ Yes ☐XNo   |  |  |  |  |  |
| Manufacturer's Name  |  |  |  |  |  |
| Type Model No  |  |  |  |  |  |
| Diam Slot size Set from ft., to ft.  |  |  |  |  |  |
| Diam. Slot size Set from ft. to ft.  |  |  |  |  |  |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level   |  |  |  |  |  |
| Was a pump test made? ☐ Yes ♣ No If yes, by whom?  |  |  |  |  |  |
| Yield: gal./min. with ft. drawdown after hrs.  |  |  |  |  |  |
| " " "  |  |  |  |  |  |
|  |  |  |  |  |  |
| "AIR   |  |  |  |  |  |
| Banci aces 29  |  |  |  |  |  |
| Artesian flow g.p.m.  perature of water Depth artesian flow encounteredft.   | Work started 6/3/75 19 Completed 6/3 1975  |  |  |  |  |
| (9) CONSTRUCTION:  | Date well drilling machine moved off of well 6/3 1975  |  |  |  |  |
| Well seal—Material usedCement  | Drilling Machine Operator's Certification:   |  |  |  |  |
| Well sealed from land surface to   | This well was constructed under my direct supervision.  Materials used and information reported above are true to my   |  |  |  |  |
| Diameter of well bore to bottom of sealin.   | best knowledge and belief.   |  |  |  |  |
| Diameter of well bore below sealin.  | [Signed]   |  |  |  |  |
| Number of sacks of cement used in well seal4 sacks   | (Brilling Machine Operator)  |  |  |  |  |
| Number of sacks of bentonite used in well seal sacks   | Drilling Machine Operator's License No   |  |  |  |  |
| Brand name of bentonite  | Water Well Contractor's Certification:   |  |  |  |  |
| Number of pounds of bentonite per 100 gallons  | This well was drilled under my jurisdiction and this report is   |  |  |  |  |
| of waterlbs./100 gals.   | true to the best of my knowledge and belief.   |  |  |  |  |
| Was a drive shoe used?   Yes No Plugs Size: location ft.   | Name Virgle Gribble Well Drilling  |  |  |  |  |
| Did any strata contain unusable water?   Yes   No  | National Control of the Control of t |  |  |  |  |
| Type of water? depth of strata   | Address 8380 Ramsey Rd., Gold Hill, Ore.   |  |  |  |  |
| Method of sealing strata off   | Odamie Millariah.  |  |  |  |  |
| Was well gravel packed? ☐ Yes ☐ No Size of gravel:   | [Signed] (Water Well Contractor)   |  |  |  |  |
| Gravel placed fromft. toft.  | Contractor's License No. 461 Date 6/6 , 1975   |  |  |  |  |
| THAVEL DIACEU ITUIL  |  |  |  |  |  |