NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

Jack 16985

State Well No. 38s/3w -10 bc

(1) OWNER:	(10) LOCATION OF WELL:
Name C. L. JOHES	County JACKSON Driller's well number 14-80
Address 2267 FORIZST CM JVI//2 OM	<u>Sω 4 Hω 4 Section / δ τ. 385 R. 3 ω</u> w.1
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well ■ Deepening Reconditioning Abandon □	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found
Rotary Driven Domestic Mindustrial Municipal Domestic	Static level 7 ft. below land surface. Date 4-16-
Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
Threaded Welded S. "Diam. from ft. to ft. Gage	(12) WELL LOG: Diameter of well below casing Depth drilled /20 ft. Depth of completed well /25 Formation: Describe color, texture, grain size and structure of materia and show thickness and nature of each stratum and aquifer penetrate with at least one entry for each change of formation. Report each change
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate principal water-bearing stra
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	(1) (C) (C) (C) (C) (C) (C) (C) (C) (C) (C
perforations from ft. to ft.	Schist 16 28
perforations from ft. to ft.	<u> </u>
(7) SCREENS: Well screen installed? Yes (VN)	
(7) SCREENS: Well screen installed? Well screen installed? Yes No Manufacturer's Name	
Type Model No	
Diam Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	BIOSINED
(8) WELL TESTS: Drawdown is amount water level is	TOTIATA
lowered below static level	11/1/ 1 3 1990
Was a pump test made? Yes No If yes, by whom?	WATER RESOURCES DEPT
rield: gal./min. with ft. drawdown after hrs.	SALEM. OREGON
" " "	Onedor.
Bailer test Ogal./min. with 5 ft. drawdown after hrs.	
rtesian flow g.p.m. Temperature of water 12 Depth artesian flow encountered ft.	Work started 4-16 19 & Completed 4-17 198
	Work started 4-/6 19 80 Completed 4-/7 198 Date well drilling machine moved off of well 2/-/7 198
(9) CONSTRUCTION: Well seal—Material used	
Well sealed from land surface to	Drilling Machine Operator's Certification: This well was constructed under my direct supervisio Materials used and information reported above are true to n best knowledge and belief:
Diameter of well bore below seal in.	[Signed] Cut Cout Date 5-11, 19.8
Number of sacks of cement used in well seal sacks	Drilling Machine Operator) Drilling Machine Operator's License No. 99
How was cement grout placed? \(\frac{\frac{10.10.000}{10.000}}{00.000}\)	Drining Machine Operator's Interior No.
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report true to the best of my knowledge and belief.
Was a drive shoe used? XYes No Plugs Size: location ft.	Name ADT CANTER WELL DALLINS
Did any strata contain unusable water? Yes No	(Person, firm on cornoration) (Type or print)
Type of water? depth of strata	Address 240 Johnson 180
Method of sealing strata off	[Signed] Cut Cart
Was well gravel packed? Tyes No Size of gravel:	(Water Well Contractor)
Gravel placed from ft to ft	Contractor's License No. 197 Date