NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

JACK 17483

State Well No. 385/3w34cb
State Permit No. 6-8515

SE of SW 3k/77

WATER RESOURCES DEPARATION OF E VE DITATE OF SALEM, OREGON 9741 TO C (Please type	OREGON State Well No. State Permit N			
of well completion. ANG 25 1977 (Do not write at	are this line)		-021)
(1) OWNER: VIATER RESOURCES DEPT.		5E 0	154	3/2
(1) OWNER: VIATER RESOURCE Name Collie Wells SALEM, OREGON	(10) LOCATION OF WELL:			
Name Collie Wells SALEM, OHD	County Jackson Driller's well no	ımber		
Address 126 Hamilton RD Jacksonville, OR	NW 14 SW 14 Section 34 T. 38s	R. 3w		W.M.
	Bearing and distance from section or subdivisi			
(2) TYPE OF WORK (check):				
New Well 🗷 Deepening 🗍 Reconditioning 🗍 Abandon 🗎				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	ell.	•	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found		50	ft.
Rotary K Driven Domestic K Industrial Municipal	Static level 80 ft. below land s	surface.		
Cable	Artesian pressure lbs. per squar			
CASING INSTALLED: Threaded Welded	255, por squar			
Threaded Welded	(12) WELL LOG: Diameter of well h	elow cas	ing	.6
" Diam. from	Depth drilled 312 ft. Depth of compl	eted well	312	ft.
" Diam. from	Formation: Describe color, texture, grain size	and struc	ture of m	aterials;
Julie 17011	and show thickness and nature of each stratu with at least one entry for each change of forma	m and action. Renc	quifer per ort each c	ietrated, hange in
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate prin	cipal wat	er-bearin	g strata.
Type of perforator used	MATERIAL	From	то	swl
Size of perforations in. by in.	Granite, decomposed, brown	0	27	
perforations from ft. to ft.	Granite, brown, med, hard	27	161	
perforations from ft. to ft.	Granite, hard, gray, w/fracture	es161	312	80
perforations from ft. to ft.				
(7) SCREENS: Well screen installed? ☐ Yes KNO		ļI		
Manufacturer's Name				
Type Model No				
Diam Slot size Set from ft. to ft.				
Diam Slot size Set from ft. to ft.				
(8) WELL TESTS: Drawdown is amount water level is				
lowered below static level				
Was a pump test made? 🗌 Yes 🕱 No If yes, by whom?				
Yield: gal./min. with ft. drawdown after hrs.				
" " "				
" " "				
test 75 gal./min. with 212 ft. drawdown after 1 hrs.				
Artesian flow g.p.m.				
Pemperature of water Depth artesian flow encountered ft.	Work started 8/16 19 77 Complete	ed -	8/18	1977
CONSTRUCTION:	Date well drilling machine moved off of well		8/18	1977
Well seal—Material usedCementCrout	Drilling Machine Operator's Certification:			
Well sealed from land surface to 40 ft.	This well was constructed under my	drect	superv	vision.
Diameter of well bore to bottom of seal 10 in.	This well was constructed under my Materials used and information, reported best knowledge indposes.	above a	re true	to my
Diameter of well bore below seal				
Number of sacks of cement used in well seal 10 sacks	[Signed] (Drilling Machine Operator)	pate	9.1.1.2,	194.4
How was cement grout placed? Grout pump and	Drilling Machine Operator's License No		6.7	4
rop pipe	Water Well Contractor's Castiliant			
	Water Well Contractor's Certification:		3 41-1-	
	This well was drilled under my jurisdi true to the best of my knowledge and bel	ction an ief.	a this re	port is
Was a drive shoe used? X Yes \(\subseteq No Plugs Size: location	NameMcClanahap Well Drilli		*********	
Did any strata contain unusable water? Yes X No	(Person, hiph or/corporation)	(Ty	pe or brin	
Type of water? depth of strata	Address 41 NF Bracon Or - Gr	aurs X	gosg C	'AX
Method of sealing strata off	[Signed]		4	
Was well gravel packed? ☐ Yes 🕱 No Size of gravel:	(Water Well Contra	actor)	•••••••	**********

Contractor's License No. 614

... Date