WATER WRIE REPORT E D

STATE OF OREGON 1 1981

WATER RESOURCES DEPT

J.	UK,
g	1535
1	1 3

State Well No. 385/3w-35 ab

State Permit No.	

SALEM, OREGON			
(1) OWNER:	(10) LOCATION OF WELL:		
Name Sunshine Village	County JACKSON Driller's we	ll number i 58	
Address RO, BOX 701		R. 3 (1) W.M.	
City JACKSONUILE StateORE. 97530	Tax Lot # Lot Blk	Subdivision	
	Address at well location:		
(2) TYPE OF WORK (check):			
New Well	(11) WATER LEVEL: Completed v	vell.	
If abandonment, describe material and procedure in Item 12.	ر -	00 ft.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):		land surface. Date 9/14/8/	
Rotary Air 🔀 Driven 🗆 Domestic 🕱 Industrial 🗆 Municipal 🗆		per square inch. Date	
ry Mud Dug		611	
Bored	(12) WELL LOG: Diameter of well below	# # # th	
(5) CASING INSTALLED: Steel X Plastic Plastic		f completed well 400 ft.	
Threaded Welded	Formation: Describe color, texture, grain size and st thickness and nature of each stratum and aquifer pen		
	for each change of formation. Report each change in		
" Diam. from	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL	From To SWL	
	BROWN CLAUE BOULDEES	0 15	
	BROWN CLAU	15 40	
(6) PERFORATIONS: Perforated? □ Yes 🖈 No Type of perforator used	BLACK SHALE	40 45	
Size of perforations in. by in.	BLACK SHALE WIF	45 120 100	
	GRAG BASAIT WIF	120 400	
perforations from ft. to ft. perforations from ft. to ft.			
perforations from			
(7) SCREENS: Well screen installed? Yes XNo			
Manufacturer's Name			
Type Model No			
Diam. Slot Size Set from ft. ft. to ft.			
Diam. Slot Size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
s a pump test made?			
ried: gal/min. with ft. drawdown after hrs.		 	
Air test 6 gal./min. with drill stem at 282 ft. / hrs.			
Bailer test gal./min. with ft. drawdown after hrs. tesian flow g.p.m.			
Temperature of water 52° Depth artesian flow encountered ft.	Olin Si	0/1/11 00	
	Work started 9//2 198/ Comple		
(9) CONSTRUCTION: Special standards: Yes \(\text{No } \text{ No } \text{ V}	Date well drilling machine moved off of well	3/14 198/	
Well seal—Material used CEMENT GROUT	Drilling Machine Operator's Certification:		
Well sealed from land surface to	This well was constructed under my direct		
Diameter of well bore to bottom of seal in.	and information reported above are true to my [Signed] CAOUS B.	Waybate 1/23, 1981.	
Diameter of well bore below sealin.	(Drilling Machine Operator)		
Number of sacks of cement used in well seal sacks How was cement grout placed? Shout Purno	Drilling Machine Operator's License No		
How was cement grout placed? 12.0.V.V.V.T1. N. (7.140	Water Well Contractor's Certification:		
The second secon	1	on and this report is true to	
Was pump installed? Type HP Depth ft.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.		
Was a drive shoe used? Yes □ No Plugs	Name M. C. A. A. A. A. LUE II DRI	11119	
Did any strata contain unusable water? Yes Mo	Address I. H. N. F. BEACHY, D.S. S. C.	A PASS OF 97576	
Type of Water? depth of strata	And	Marie A. M. Maring S. D. S. J. A. W. M.	
Method of sealing strata off	[Signed] Cull Card	and and	
Was well gravel packed? ☐ Yes A No Size of gravel:	(Water Well Contr.	7	
Gravel placed from	Contractor's License No		
CHATCA PARCOL IIVIII	<u> </u>		