NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 131 Please type or print) of well completion.

STATE UF UREGON

(Do not write above this line)

222	
Good	State Well No. 385/40-21
11140	State Permit No.

OCT 1 4 1975	()
(1) OWNER: WATER RESOURCES DEPT	(10) LOCATION OF WELL:
	County Driller's well number
Address 3577 COCALEM, OREGON	21 - 35 (1
Las Vegas Nevada	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	(11) TYLE BYTE T TYPE C
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.
	Depth at which water was first found 160 ft.
Rotary Driven Domestic Industrial Municipal Domestic	Static level 80 ft. below land surface. Date 10/9/7
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded 500 ft. to 160 ft. Gage 1250	(12) WELL LOG: Diameter of well below casing 6 Depth drilled /65 ft. Depth of completed well /60 ft. Formation: Describe color, texture, grain size and structure of materials;
ft. Gage	and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	HOGINBIOWING CLAYA DIGE
perforations fromft. toft.	Brixin day thoughers 65 160
perforations fromft. toft.	Clean arave 1 med 160 165 80
perforations fromft. toft.	Span graver, 1/100 100 100
pertorations from	
(7) SCREENS: Well screen installed? Yes No	
Manufacturer's Name	
Type Model No	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is	
lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" " " " " " " " " " " " " " " " " " "	
N. "	
Baner test Q gal./min. with Q ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encounteredft.	Work started 10/2 15 Completed 10/9 1975
	Work started / Completed / O/9 19/1 Date well drilling machine moved off of well / O/6 19/1
(9) CONSTRUCTION:	
Well seal-Material used Comput 9 10th	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my
Diameter of well bore to bottom of sealin.	best knowledge and belief
Diameter of well bore below sealin.	[Signed] Date Date Date
Number of sacks of cement used in well sealsacks	Drilling Machine Operator's License No.
Number of sacks of bentonite used in well sealsacks	The state of the s
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons of waterlbs /100 gallo	This well was drilled under my jurisdiction and this report is
of waterlbs./100 gals. Was a drive shoe used? Yes □ No Plugs Size: locationft.	true to the best of my knowledge and belief.
Did any strata contain unusable water? Yes No	Name M. Chinakus VVVI III 1119
	Address 14 MACON VO Claim 5 MS AVE
1	Address The County of the Start
Method of sealing strata off	[Signed] Color III Claushan
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 72 Date /0/13 , 19/1
:	