NOTICE TO WATER WELL CONTRACTOR:

The original and first copy of this report.

are to be filed with the

WATER WELL REPORT

water resources department, APR 24 19 STATE OF OREGON
SALEM, OREGON 97310
within 30 days from the date WATER RESOURCES DEPT
of well completion.

SALEM, OREGON
SALEM, OREGON

State Well No. 395/ZW -19 AA
18197 State Permit No.

OALLIN, OALGON	
(1) OWNER:	(10) LOCATION OF WELL: County TACK Sow Driller's well number 220-9
Name ////////////////////////////////////	
Address 3883 LITTLE HAPPLE CAPTE.	WE 14 NE 14 Section 19 T.39-S R. 2-W W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner (A) Lot50
New Well Deepening Reconditioning Abandon	WELL AT 3883LIIIE PAPPLE GATE
If abandonment, describe material and procedure in Item 12.	(11) YVADER I DYET C
	(11) WATER LEVEL: Completed well.
The state of the s	Depth at which water was first found /4/3 ft.
Cable	Static level /3 5 ft. below land surface. Date /-/ / /
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded Welded Threaded Welded Threaded Welded Threaded Threaded Welded Threaded Welded Threaded Threaded Threaded Welded Threaded Threade	(12) WELL LOG: Diameter of well below casing
" Diam. fromft. toft. Gage" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated? Yes No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
	MATERIAL From To SWL
Type of perforator used Size of perforations in, by in,	Plan-Velloul 0 10
0.120 0.1 po. 10.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0.1 0	11/ SMNE BON 10 120
perforations fromft. toftft.	GRANIE BLUE 120 145
perforations fromft. toft.	11 11 BARN, 145 148 135
	11 11 148 375
(7) SCREENS: Well screen installed? ☐ Yes ☑ No	11 11 BANN 275 276 1.35
Manufacturer's Name	71 /1 276 340
Type Model No Diam Slot size Set from ft. to ft.	11 11 BRXN1 342 135
Diam. Slot size Set from ft. to ft.	11 11 BBKN 387 390 135
	11 11 390 400
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? 🗌 Yes 🖸 No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
" "	
" " "	
Bailer test 40 gal./min. with 55 ft. drawdown after / hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started 4-19-1979 Completed 4-20-1979
(9) CONSTRUCTION:	Date well drilling machine moved off of well
Well seal—Material used LEMENT	Drilling Machine Operator's Certification:
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information parted above are true to my
Diameter of well bore to bottom of seal in.	best knowledge and belief.
Diameter of well bore below seal	[Signed] (Drilling Machine Operator)
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No.
How was cement grout placed? An population To SURTAGE.	
	Water Well Contractor's Certification:
	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief
Was a drive shoe used? ☐ Yes D No Plugs Size: location ft.	Name (RIZSIAN) (ELL DELLING
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 2691 SEERICHIE C.P. 97502
Method of sealing strata off	[Signed] Leen in
Was well gravel packed? Yes INO Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 6.44. Date 4.3. 19