

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

RECEIVED
WATER WELL REPORT
STATE OF OREGON
(Please type or print)
AUG 8 1978
(Do not write above this line)

JACK
18242
State Well No. 395/2W-32cd
State Permit No. G-8513

WATER RESOURCES
DEPARTMENT
SALEM, OREGON

(1) OWNER:

Name Gary Flood
Address Yale Creek Rd
JACKSONVILLE OR

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug
Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
6" Diam. from 0 ft. to 20 ft. Gage 250
" Diam. from " ft. to " ft. Gage "
" Diam. from " ft. to " ft. Gage "

PERFORATIONS:

Perforated? Yes No.

Type of perforator used _____
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " "
" " " " "
Bailer test 100 + gal./min. with - ft. drawdown after 1 hrs.
Artesian flow g.p.m.

Temperature of water 56 Depth artesian flow encountered - ft.

(9) CONSTRUCTION:

Well seal—Material used Cement Grout
Well sealed from land surface to 19 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 6 sacks
How was cement grout placed? Poured

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? Good depth of strata 128 - 142
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

LOCATION OF WELL:

County Jackson Driller's well number 032
SE 1/4 SW 1/4 Section 32 T. 39S R. 2W W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 128 ft.
Static level 14 ft. below land surface. Date 7-25-78
Artesian pressure - lbs. per square inch. Date -

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 142 ft. Depth of completed well 142 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
soil	0	6	-
Basalt hard blk	6	12	-
Basalt with Quartz stringers	12	128	-
silt blk	128	142	14

Work started 7-24 1978 Completed 7-25 1978
Date well drilling machine moved off of well 7-25 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] John Studebaker Date 7-25, 1978
(Drilling Machine Operator)
Drilling Machine Operator's License No. 1008

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Studebaker Well Drilling
(Person, firm or corporation) (Type or print)
Address 170 Maywood Way
[Signed] John Studebaker
(Water Well Contractor)
Contractor's License No. 679 Date 7-25, 1978