NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 / within 30 days from the date

WATER WELL REPORT E VED

STATE OF OREGON
(Please type or print) MAY 261976 State

(Please type or print)

		,	* * C.W
No.	38	BW	72_
		,	

MAY 261976 State Well

of well completion: (Do not write ab	ove thinking RESOURCES Specificant No.
1) OWNTED	(10) LOCATION OF WELL:
1) OWNER:	
iame Bruce Reman	
JACKSONUILL ORE	SW4SW4 Section 12 T.ST SR. SW W.M.
2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
Tew Well Deepening □ Reconditioning □ Abandon □  f abandonment, describe material and procedure in Item 12.	
	(11) WATER LEVEL: Completed well.
3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 20 ft.
otary Driven Domestic Industrial Municipal Domestic	Static level ft. below land surface. Date 5-/9.)
ug 🛘 Bored 🗍 Irrigation 🖨 Test Well 🖂 Other 🖂	Artesian pressure   State   Ibs. per square inch. Date 5-24.76
CASING INSTALLED: Threaded Welded Welded to the to the Gage 250	(12) WELL LOG: Diameter of well below casing
ft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
Perforated?   Yes Le No.	position of Static Water Level and indicate principal water-bearing strata.
ype of perforator used	MATERIAL From To SWL
ize of perforations in. by in.	Clay, heavy, brown 05
perforations fromft. toft.	Shale haid arev 5 142
	Shalchard grevaren 142 210
perforations fromft. toftperforations fromft. toft.	shalf Cract waterbarren 210 215 +
7) SCREENS: Well screen installed?   Yes INO	
fanufacturer's Name	
ype Model No.	
Diam, Slot size Set from ft. to ft.	
Diam Slot size Set from ft. to ft.	
8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Vas a pump test made?   Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
· " " " "	
u n n	
THE STATE OF THE S	
gal./min. with tt. drawdown after hrs.	·
rtesian flow g.p.m.	70
emperature of water Depth artesian flow encountered ft.	Work started 5 - 15 19/6 Completed 5 - 19 19/6
9) CONSTRUCTION:	Date well drilling machine moved off of well 5-19 1976
Vell seal-Material used COMENT GICUT	Drilling Machine Operator's Certification:
Vell sealed from land surface toft.	This well was constructed under my direct supervision.  Materials used and information reported above are true to my
Diameter of well bore to bottom of seal in.	host knowledge of the lift WACC
Diameter of well bore below seal	[Signed]
Tumber of sacks of cement used in well sealsacks	Drilling Machine Operator's License No.
Tumber of sacks of bentonite used in well seal sacks	Drining whachine Operator's License No
Brand name of bentonite	Water Well Contractor's Certification:
Jumber of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction and this report is
f water lbs./100 gals.	true to the best of my knowledge and belief
Vas a drive shoe used? ☐ Yes ☑ No Plugs Size: location ft.	Name MClanaran (1814) Villing
old any strata contain unusable water?   Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address / The Board Signity PSS OF
Method of sealing strata off	[Signed] (Signed)
Von reall amount marked O Von DAT - Cinc of second.	(Water Well Contractor)