32		1	
11 No.	39	/4w	5

The original and first copy: The original and first copy: The filed with the filed with the process of the filed with the file

Artesian pressure

WATER WELL REPORTSINEER
STATE OF OREGON State W

State Well

STATE ENGINEER, SALEM, OREGON 33310 2 within 30 days from the date within 30 days from the date	oe or print) G-3899 State Permi	is amount water level is
(1) OWNER: SALEM OREGON		ow static level
	Was a pump test made? Tyes Who If ye	s, by whom?
Name Howard Piete	Yield: gal./min. with	ft. drawdown after hrs.
Address Box 12A	" "	"
Applegate, Oregon	" "	"st drawdown after / hrs.
(2) LOCATION OF WELL:	Bailer test 23 gal./min. with 56	it. drawdown dates
County Jackson Driller's well number	Artesian flow g.p.m. Da	te The State of th
County 5 T. 398 R. 4W W.M.	Temperature of the	al analysis made? 🗌 Yes 🗷 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of w	rell below casing
590 FT NORTH & 245 FT		A
BAST OF SOUTH WEST	Depth drilled 78 ft. Depth of co	e of material and structure, and
ERRISE	Formation: Describe by color, character, siz show thickness of aquifers and the kind an stratum penetrated, with at least one entry	i nature of the material in each for each change of formation.
PORTUBRA	stratum penetrated, with at least one entry	
	MATERIAL	FROM TO
(a) MADE OF MODE (check):	SOIL BROWN	2 0 2
(3) TYPE OF WORK (check): Reconditioning Abandon [
New Well Deepening	DIDELTE GERY "	1111
In andonment, describe material and procedure in Item 12.	CREVICED & SHA	TTED
(4) PROPOSED USE (check): (5) TYPE OF WELL	CREMENT TO	34 78
Rotary Driven	AREAS	
The street of ther		
Irrigation Test Well Other Dug Bored U	-	
(6) CASING INSTALLED: Threaded Welded		
6 "Diam. from # ft. to 39 ft. Gage 250	WATER	43 46
ft. Gage	PYATE	58 60
ft. to ft. Gage		20 72
(7) PERFORATIONS: Perforated? Yes Pro		
Size of perforations in, by in. perforations from ft. to	ft	
perforations from ft. to	ft	
perforations from ft. to	ft	
nerforations from ft. to ft. to	14,	
perforations from ft. to	ft	
(8) SCREENS: Well screen installed? ☐ Yes ☑-No		
Manufacturer's Name		
Model No.	ft. Work started 12-8 1965 (Completed 12-8 16
Dian. Slot size Set from ft. to	WOLK Started	10-8
Diam. Slot size Set from ft. to	ft. Date well drilling machine moved off of	WCA
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in seal BENTONITE & CUITA	- 1	н.Р.
ft. Was a packer used?		
Dismeter of well here to bottom of seal	Water Well Contractor's Certification	
Were any loose strata cemented off? Yes Were Depth	This well was drilled under my	y jurisdiction and this report
Was a drive shoe used? ☐ Yes ☐ ₩o	true to the best of my knowledge a	and belief.
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	CRAMER WELL DRILL	
Gravel placed from ft. to ft,		
Did any strata contain unusable water? Yes	3061 Crater Lake	e Ave., Medford, Ore.
Type of water? depth of strata	Address	344
Method of sealing strata off	Drilling Machine Operator's Licen	se No()
	All. The	· land
(10) WATER LEVELS:	-65 [Signed] (Water	· Well Contractor)
Static level 13 ft. below land surface Date	- ⁹ 7	12-96
Artesion pressure lbs. per square inch Date	Contractor's License No.	<u> </u>