NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT. SALEM, OREGON 97310 within 30 days from the date of well completion.

Rotary

Cable

Dug

9,5 State Well No. 345/4W-15Ca State Permit No. ....

of well completion.  (Doyde write above this line)  PLEASANT CK			
WATER RESOU	CES DECATION OF WELL:	*	
Name Mildred MAC HRTTiak	County JACKSON Driller's well nu	mber	
Address 6943 PLESANT CR	SW4 NE 4 Section 15 T. 34	R. 4W W.M.	
ROGUE RIVER, OREGON	Bearing and distance from section or subdivision corner		
(2) TYPE OF WORK (check):	DEAL THE 458 - 301		
New Well D Deepening Reconditioning Abandon Abandon	FERMIT # 730-7000		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found //b ft.		
Rotary V Driven D Domestic I Industrial Municipal D	Static level 29 ft. below land surface. Date 7/5/18		
Dug   Bored   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date		
CASING INSTALLED: Threaded Welded F. Welded F. Diam. from ft. to ft. Gage	(12) WELL LOG: Diameter of well below casing		
"Diam from ft. to ft. Gage ft. Gage ft. Gage	Depth drilled 125 ft. Depth of completed well 121 ft.		
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,		
	with at least one entry for each change of formation. Report each change in		
PERFORATIONS: Perforated?   Yes Proposition Perforated?	position of Static Water Level and indicate prin		
Type of perforator used	MATERIAL	From To SWL	
Size of perforations in. by in.	DECOMPOSED GRANITE	6 12	
perforations fromft. toft.	TOMBSTONE GRANITE	12 /25 29	
	1070057000		
(7) SCREENS: Well screen installed?   Yes Who	ALLOW TO PER TO THE TOTAL TO TH		
Manufacturer's Name			
Type Model No ft. to ft.	Hauter	116 121 30c/m	
Diam. Slot size Set from ft. to ft.	11901111	116 121 30g/m	
	·		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		·	
Was a country test made? Yes \( \subseteq \text{No If yes, by whom? \( \subseteq \text{NoIf} \)			
Yield: 30 gal./min. with ft. drawdown after hrs.	:		
" " "	±	-	
н и н			
Bailer test gal./min. with ft. drawdown after hrs.			
Artesian flow g.p.m.			
perature of water Depth artesian flow encountered ft.	Work started 9/4 1978 Complete	ed 9/5 19 X	
(9) CONSTRUCTION:	Date well drilling machine moved off of well	9/5 1978	
Well seal—Material used CEMENT	Drilling Machine Operator's Certification:	/	
Well sealed from land surface toft.	This well was constructed under my direct supervision.  Materials used and information reported above are true to my		
Diameter of well bore to bottom of sealin.	best knowledge and belief.	-/	
Diameter of well bore below sealin.	[Signed] Date 19.3. 19.3. (Drilling Machine Operator)		
Number of sacks of cement used in well seal sacks How was cement grout placed?	Drilling Machine Operator's License No		
now was cement grout placed?		<u>, , , , , , , , , , , , , , , , , , , </u>	
	Water Well Contractor's Certification:		
	This well was drilled under my jurisdiction and this report is true to the hest of my knowledge and belief.		
Was a drive shoe used?   Yes PNo Pluss Size: location ft.	Name ARUM WELL DRILLING		
Did any strata contain unusable water?   Yes WNo	(Person, firm or corporation)	(Type or wint)	
Type of water? depth of strata	Address 18 40 Wr / OW CN, OPANTS ASS, OPE		
Method of sealing strata off	[Signed] Robert E. Jenne		
Was well gravel packed? Tyes WNo Size of gravel:	(Water Well Contr	actor)	
Gravel placed from ft. to ft.	Contractor's License No.	1 9 19/8	