WATER WELL REPORT STATE OF OREGON

Jack 19394

State Well No. 365 48-31	<u></u>
--------------------------	---------

State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:		
Name Rogue River National Forest	County Jackson Driller's well numb	er <u>58-81</u>	
Address P.O. Box 3623	¼ ¼ Section 35 T. 36 R.	4E W.M.	
City Portland State Oregon	Tax Lot # Lot Blk Subdivision		
(2) TYPE OF WORK (check):	Address at well location: Doe Point C.grou	and	
New Well Deepening □ Reconditioning □ Abandon □	Fish Lake		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 751	ft.	
	Static level 25' ft. below land surface. Date 11-6-81		
Rotary Air 🐧 Driven 🗆 Domestic 🐧 Industrial 🗆 Municipal 🗅 Rotary Mud 🗆 Dug 🖂 Irrigation 🖂 Test Well 🖂 Other 🖂	Artesian pressure lbs. per square inch. Date		
☐ Bored ☐ Thermal: Withdrawal ☐ Reinjection ☐	(12) WELL LOG: Diameter of well below casing	611	
(5) CASING INSTALLED: Steel R Plastic	Depth drilled 100 ft. Depth of completed well 100 ft.		
Threaded 🗓 Welded 🕱	Formation: Describe color, texture, grain size and structure thickness and nature of each stratum and aquifer penetrated	of materials; and show with at least one entry	
6	for each change of formation. Report each change in position		
"—————————————————————————————————————	and indicate principal water-bearing strata.		
LINER INSTALLED:	MATERIAL From	n To SWL	
"Diam. from	Soil Brown	0 3	
(6) PERFORATIONS: Perforated? ▼ Yes □ No	Clay Brown	3 10	
Type of perforator used Torch		10 35	
Size of perforations 1/4 in. by 8 in.	broken		
	I	65	
perforations from ft. to ft.		55 75	
perforations from ft. to ft.	Gravel Medium with Cinders 7	'5 100 25	
(7) SCREENS: Well screen installed? Yes XXNo		3 100 25	
Manufacturer's Name			
Type Model No.,,,,	4		
Diam. Slot Size Set from ft. to ft.			
Diam. Slot Size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		+ 1	
		4004	
a pump test made? \(\subseteq \text{Yes} \) No If yes, by whom? \text{gal/min. with} \) ft. drawdown after hrs.	NOV 17	1981	
gal/min. with ft. drawdown after hrs.	WATER RESOUR	CES DEPT	
Air test 120 gal/min. with drill stem at 100ft. 1 hrs.	SALEM, OR		
Bailer test gal./min. with ft. drawdown after hrs.			
esian flow g.p.m.			
Depth artesian flow encountered ft.	Work started 40-27- 19 84 Completed	44 5 10 6	
(9) CONSTRUCTION: Special standards: Yes \(\subseteq \) No \(\text{X} \)	Date well drilling machine moved off of well	11-6 ¹⁹ 8	
Well seal—Material usedCement	Drilling Machine Operator's Certification:	11-6 19 8	
Well sealed from land surface toft_	This well was constructed under my direct superv	ision Materials used	
Diameter of well bore to bottom of sealin.	and information reported above are true to my best kr	nowledge and belief.	
Diameter of well bore below sealin.	[Signed] (Drilling Machine Operator)	ate 1.1- .5., 19. 81 .	
Number of sacks of cement used in well seal	i a di a	15	
How was cement grout placed? Pressure grouted.			
	Water Well Contractor's Certification:		
IID Doub	This well was drilled under my jurisdiction and the best of my knowledge and belief.	this report is true to	
Was a drive shoe used? Yes V No Plus Size: location ft.	NameCrater Well Drilling, Inc. (Person, firm or corporation) (Type or print)		
Was a drive shoe used? ☐ Yes XINo ☐ Yes XINo ☐ Yes XINo ☐ Yes XINo			
Type of Water? depth of stata	Address 2870 Chater Dake Hy Medi	prd	
Method of sealing strata off	[Signed]	S	
Was well gravel packed? ☐ Yes 🗴 No — Size of gravel:	(Water Well Contractor) Contractor's Licensé No687Date	4.6	
Gravel placed fromft. toft.	V1	n.=.p, 19.81.	