## RECEIVED

## STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

MAR - 1 1988

Jack 385/1E-31da

(1) OWNER: WAVERUNDES OURCES DEF(9) LOCATION OF WELL by legal description: Name Town & Country Chevrolatiem, OREGON  Country Jackson attends  (1) OWNER: WAVERUNDES OURCES DEF(9) LOCATION OF WELL by legal description:										
	Hwy 99 N		County Jacks	Nor S, Range	1.0	Longitud	e			
City Ashl			Township 705	N or S, Range	16	_	_E or W,	WM.		
					Section	NE 14		1/4		
(2) TYPE OF WORK:					Tax Lot 100	Lot Block (ell (or nearest address)	k	Subd	ivision	
		Recondition	Abandon		Street Address of W	'ell (or nearest address) 🔔	Jaille	α 3	7/ 1	
(3) DRILL I	METHOD							·		
-	Rotary Mud	☐ Cable			(10) STATIC W	ATER LEVEL:	:			
Other					O ft. below land surface. Date 2/3/88					
(4) PROPOS	SED USE:	=	Artesian pressure 3 lb. per square inch. Date 2/3/88							
Domestic [	Community	Industrial Irr	rigation		(11) WATER B	***************************************				
Chermal	Injection [	Other	-				334'			
(5) BORE H	OLE CONST	RUCTION:			Depth at which water was	s first found	J J 4			
Special Construction	n approval Yes N	lo Denth of Com	pleted Well $\frac{34}{2}$	40ft.	From	То	Estim	ated Flov	Rate	SWL
Special Construction approval Yes No Depth of Completed Well 340  Yes No Depth of Completed Well					334	336	20	<del>00 +</del>		0
Explosives used	_	Amoun	t							
HOLE	3	SEAL	Amo							
Frameter From	<b>To Materi</b> 319 Cemen	al From To	sacks or	pounds Sacks						
6" 319		• • • • • • • • • • • • • • • • • • • •			(12) WELL LO	G: a , ,				
			·····	Ground elevation						
						Material		From	То	SWL
77. 1 1 1				-	Soil Brown			0	. 5	
How was seal placed: Method					Gravel Med			5	13	
		ft. Material			Conglomera			13	135	ļ
=						<u>Black</u>			210	<u> </u>
		ft. Size of grave				Gray			243	
(6) CASING	LINER:	a la			3	Blue			280	ļ
Diameter 6!!	1+2   1319	Gauge Steel Plastic	: Welded T	hreaded	Granite G	ay		280	340	0
Casing:										<u> </u>
***************************************										
<del></del>			. 🗆							
Liner:			. 🗆							
Diner.			- 1							
Final location of sho	(e)	319	ш	ليا		<del></del>				-
	*	UD IGIGINYCI.	*							
	RATIONS/SC									-
	ns Method									<b>-</b>
Screens	Type	Mater								
From To	Slot size Number.	Tele/pipe Diameter size		Liner						
					Date started 1/27	/88 Com	pleted	2/4/	/88	
						*	<del> </del>			
(8) WELL T	ESTS: Minim	um testing time i	s 1 hour		(unbonded) Water V				3.	. •
			Flowing		abandonment of this	e work I performed of well is in compliance				
☐ Pump	☐ Bailer	🖄 Air	Artesian	L	standards. Materials u	sed and information r	reported a	above ar	e true to	my best
Yield gal/min	- ·		•	knowledge and belief.				_		
200 +	0 + 340 1hr.			Gribble Wei	ll Drilling			mber		
					Signed		D	ate		
			33		(bonded) Water Wel	l Constructor Certif	fication:			
Temperature of water	76	Depth Artesian Flo		bility for the construc						
Was a water analysis	_	By whom	work performed on th work performed dur							
-		for intended use?	construction standard	s. This report is true	to the be	est of m	y knowle	edge and		
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other					1 1 0				$\frac{1}{2}$	
Depth of strata:					Signed 2-	Melfour	\ n	ate 2 -	5-8	$\overline{r}$
										<del>,                                      </del>