

RECEIVED

back 2008

RECEIVED

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

AUG 5 1966 WATER WELL REPORT

AUG 18 1966

38/1-31

STATE ENGINEER, SALEM, OREGON 97310

STATE ENGINEER, STATE OF OREGON (Please type or print)

State Well No. State Permit No.

(1) OWNER:

Name: Standard Oil Co
Address: P.O. Box 950
Portland Ore

(2) LOCATION OF WELL:

County: Jackson Driller's well number: 245
Section: 31 T. 38S R. 1E W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Rotary [] Driven []
Irrigation [] Test Well [X] Other [X] Cable [X] Jetted []
Service station Dug [] Bored []

(5) TYPE OF WELL:

Threaded [] Welded [X]
6" Diam. from 0 ft. to 39 ft. Gage # 250

(6) CASING INSTALLED:

6" Diam. from 0 ft. to 39 ft. Gage # 250

(7) PERFORATIONS:

Perforated? [] Yes [X] No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name
Model No.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal: cement
Depth of seal: 39 ft. Was a packer used? NO
Diameter of well bore to bottom of seal: 7 1/2 in.
Were any loose strata cemented off? [] Yes [X] No Depth
Was a drive shoe used? [X] Yes [] No
Was well gravel packed? [] Yes [X] No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? [X] Yes [] No
Type of water? Surface depth of strata 27-32'
Method of sealing strata off

(10) WATER LEVELS:

Static level 18 ft. below land surface Date 8-1-66
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [X] No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 135 ft. Depth of completed well 135 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Entries include Fill-Creek Run, CONGLOMERATE Brown, CLAY BROWN, SANDSTONE Grey, SHALEY Claystone Dark Grey water, SANDSTONE Light Grey med, GRANITE-Mica + QUARTZ Grey, SANDSTONE Dark Grey med, SANDSTONE Light Grey course water, SANDSTONE Dark Grey.

Work started 7-26 1966 Completed 8-1 1966
Date well drilling machine moved off of well 8-1 1966

(13) PUMP: TO BE INSTALLED.

Manufacturer's Name: Reda
Type: Submergible H.P. 1

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Dallas S. DeLap well drilling
Address 749 Edgely Mill Rd. Ashland Ore

Drilling Machine Operator's License No. 607

[Signed] Dallas S. DeLap (Water Well Contractor)

Contractor's License No. 96 Date 8-2 1966