NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT CEIVED State Well No. 395/15-24

(Please type or print)

DEC 81976 State Permit No. (Do not write above this line) RESOURCES DEPT.

(1) OWNER:	(10) LOCATION OF WELL:
Name Sharlands investments Inc.	County Jackson Driller's well number
Address 92 Bush	14 1/4 Section 24 T. 39 R. 1 = W.M.
Ashland, dreson	Bearing and distance from section or subdivision corner 25/5
(2) TYPE OF WORK (check):	60'W of NE Property Corner
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	Charlen Cik water system site
If abandonment, describe material and procedure in Item 12.	
(2) TVPF OF WELL. (4) PRODOCED USE (about).	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found, ft.
Rotary Driven Domestic Industrial Municipal D	Static level ft. elow land surface. Date
Dug   Bored   Irrigation   Test Well   Other	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded Welded Welded	
CASING INSTALLED: Threaded ☐ Welded ☐ G. "Diam. fromft. toft. Gage	(12) WELL LOG: Diameter of well below casing
	Depth drilled ft Depth of completed well ft.
" Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials;
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation, Report each change in
PERFORATIONS: Perforated?  Yes No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	TION TO SWID
	Old Benforite Seal
perforations fromft. toft.	
perforations fromft. toft.	removed
perforations from ft. to ft.	Cement stout
(7) SCREENS: Well screen installed?   Yes  No	seed is at led
Manufacturer's Name	Jean Marie
Type Model No.	
Diam. Slot size Set from ft. to ft.	
Diam ft. to ft.	
(0) YUEL I DECING Drowdown is amount water land in	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made?   Yes   No If yes, by whom?	
Yield: gal./min. with / ft. drawdown after hrs.	
" " " "	
" " "	
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
aperature of water Depth artesian flow encountered ft.	Work started 12-2 1976 Completed 12-2 1976
(9) CONSTRUCTION:	Date well drilling machine moved off of well 12-2 1976
Para Land	
4/	Drilling Machine Operator's Certification:  This well was constructed under my direct supervision.
Well sealed from land surface toft.  Diameter of well bore to bottom of sealfin.	Materials used and information reported above are true to my
	best knowledge and belief.
Diameter of well bore below seal	[Signed] France Company Date 12-6, 1976
Number of sacks of cement used in well seal sacks	Drilling Machine Operator's License No. 89
Number of sacks of bentonite used in well sealsacks	
Brand name of bentonite	Water Well Contractor's Certification:
Number of pounds of bentonite per 100 gallons  of waterlbs /100 gallo	This well was drilled under my jurisdiction and this report is
500,7100 Bath.	true to the best of my knowledge and belief,
Was a drive shoe used? ☐ Yes ☐ No Plugs Size: location ft.  Did any strata contain unusable water? ☐ Yes ☐ No	Name Crafer Well Drilling Inc.
	(Person, firm or corporation) (Type or print)  Address 1923 Nelta Waters Del Med.
Type of water? depth of strata	Address 1720 1101 La Walge 3 Ka. 1900.
Method of sealing strata off	[Signed] Estables V Estativoso
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Welf Contractor)
Gravel placed fromft. toft.	Contractor's License No. 5 15 Date 12-6, 1976
	The state of the s