## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the


STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL REPORT

## STATE OF OREGON

(Please type or print)

(Do not write above this line)



(1) OWNER:	(10) LOCATION OF WELL:
Name STEVE VINCENT (16 KOA KAMPGROUND	County ackson Driller's well number
Address 5310 Hwy 66	7- 21
ASHLAND, DR	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner  TAX LOT 800
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	1/1K (LO) 0/0
If abandonment, describe material and procedure in Item 12.	
	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 202 ft.
Rotary Driven Domestic Industrial Municipal Domestic Industrial Municipal Domestic Driven Domestic Driven Domestic Driven Domestic Driven Driv	Static level Flow ft. below land surface. Date 8-16-7
Dug □ Bored □ Irrigation □ Test Well □ Other	Artesian pressure 71/2 lbs. per square inch. Date 8 -/6 ->
CASING INSTALLED: Threaded [] Welded []	
CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below casing
6 "Diam from +2/2 ft to 37/2 ft. Gage 12.50	Depth drilled 307 ft. Depth of completed well 307 ft.
"Diam. from ft. to 30Z ft. Gage Type 1120	Formation: Describe color, texture, grain size and structure of materials;
"Diam. fromft. toft. Gage	and show thickness and nature of each stratum and aquifer penetrated,
PERFORATIONS: Perforated? Yes E-No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used SAW.	
Size of perforations 3/16 in. by 12 % in. 223 - 243	
19 perforations from 243 ft. to 302 ft.	Boulders (loose) in Soil 0 9
perforations from 213 ft. to 243 ft.	Boulders pedded in Decomposed Garnie 9 15
	Decomposed Granite 9 15 -
perforations fromft. toft.	Shale Rock tight block 15 202 -
(7) SCREENS: Well screen installed?   Yes No	STACE ROCK FIGHT DRICK TS 202
Manufacturer's Name	Shale Rock broken black 202 231 Flow
Type Model No	STORE THE DIGITAL TOP COT AND THE
Diam Slot size Set from ft. to ft.	Shale Rock tight Dair 231 302 Flow
Diam. Slot size Set from ft. to ft.	PECEIVED
(8) WELL TESTS: Drawdown is amount water level is	
lowered below static level	AUG221979
Was a pump test made? ☐ Yes No If yes, by whom?	
eld: gal./min. with ft. drawdown after hrs.	WATER RESOURCES DEPT
" " "	EALEM, OREGON
"0 1	* water bearing
Bailer test 15 gal./min. with 290ft. drawdown after / hrs.	
,	
3.F	
nperature of water 57 Depth artesian flow encounteredft.	Work started 8-14 1979 Completed 8-17 1979
(9) CONSTRUCTION:	Date well drilling machine moved off of well 8-17 19>9
Well seal-Material used Connent Grout	Drilling Machine Operator's Certification:
Well sealed from land surface to 37/2 ft.	This well was constructed under my direct supervision.
Diameter of well bore to bottom of seal	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] John Studelahy Date 8-17 19>9
Number of sacks of cement used in well seal 26 sacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No. 100 8
Brand name of bentonite	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief—
Was a drive shoe used? Yes No Plugs Size: location ft.	Chicabaka: la 1000 1 10. Mina
Did any strata contain unusable water?   Yes   No	(Person, firm or corporation) (Type or print)
Type of water? GOOW depth of strata 202 - 231	Address 4876 44w 66 HS110nd OR
Method of sealing strata off	A P Otal A
	[Signed] JOHN Stillland
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	(Water Well Contractor)
Gravel placed from ft. to ft.	Contractor's License No. 679 Date 8-17 19.79