

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion

(Please type or print)

Do not write above this line

State Well No.

39/4-60

State Permit No.

Jack 20972

(1) OWNER:

Name Jackson Co. Recreation Dept
Address Jackson Co. Courthouse, Medford, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Driven []
Cable [] Jetted []
Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal []
Irrigation [] Test Well [] Other []

CASING INSTALLED:

6" Diam. from 0 ft. to 18 ft. Gage .250
Threaded [] Welded [X]

PERFORATIONS:

Perforated? [] Yes [X] No.

Type of perforator used

Table with columns: Size of perforations, in. by, in., ft. to, ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No

Manufacturer's Name

Type Model No.

Diam. Slot size Set from ft. to ft.

Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 85 ft. below land surface Date 6/24/69

Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [X] No If yes, by whom?

Yield: gal./min. with ft. drawdown after hrs.

AIR Bailer test 15 gal./min. with 78 ft. drawdown after 2 hrs.

Artesian flow g.p.m. Date

Temperature of water Was a chemical analysis made? [] Yes [X] No

(10) CONSTRUCTION:

Well seal-Material used Bentonite slurry

Depth of seal 18 ft.

Diameter of well bore to bottom of seal 9 in.

Were any loose strata cemented off? [] Yes [X] No Depth

Was a drive shoe used? [] Yes [X] No

Did any strata contain unusable water? [] Yes [X] No

Type of water? depth of strata

Method of sealing strata off

Was well gravel packed? [] Yes [] No Size of gravel:

Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Jackson Driller's well number 23
1/4 S E 1/4 Section 6 T. 39 S. 4 E W.M.

Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6"

Depth drilled 163 ft. Depth of completed well 163 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Soil & boulders, Boulders, Lava rock (gray, blue), Cinders (red).

Work started 6/19 1969 Completed 6/24 1969
Date well drilling machine moved off of well 6/24 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Virgle Gribble Date 6/25, 1969
(Drilling Machine Operator)

Drilling Machine Operator's License No. 87

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Virgle Gribble Well & Drilling
(Person, firm or corporation) (Type or print)

Address Rt. 2 Bx 369, Gold Hill, Oregon 97526

[Signed] Virgle Gribble Date 6/25 69
(Water Well Contractor)

Contractor's License No. 73 Date 6/25, 1969